

HAVERICK X3

PRODUCT SPEC BOOK VEHICLE SPECIFICATIONS · ACCESSORIES

2022



2022 MAVERICK X3

VEHICLE SPECIFICATIONS

FEATURED PACKAGES FOR MAVERICK X3

Maverick X3 DS Turbo	
Maverick X3 X rs Turbo RR with Smart-Shox	
COMPARATIVE CHART	

Maverick X3 Lineup

10

6 8

ACCESSORIES

Roofs	18
Soft Cab Enclosure	19
Windshields & Mirrors	19
Doors	21
Skid Plates	23
Bumpers & Guards	24
Seat Accessories	28
LinQ®: Easy On, Easy Off Cargo	29
Racks & Storage	34
Lights	35
Audio & Communication Systems	39
Electrical & Electronic Accessories	40
Winches & Hitches	42
Performance	44
Trailering	48
Apache Track Systems	48
ProMount Plows	50
Tires & Rims	52



© 2021 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. ¹All other trademarks are the property of their respective owners. Some models depicted herein may include optional equipment. Prices, if shown, are based on Manufacturer Suggested Retail Prices. Dealers may sell for a different price. For Canada and the US, taxes are not included. Depending on location, products are distributed by BRP US Inc., Bombardier Recreational Products Inc., BRP European Distribution SA, BRP Finland Oy, BRP Australia Pty Ltd. or BRP Brasil Motorsports LTDA. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features or equipment without incurring obligation. Printed in Canada.

CAN-AMOFFROAD.COM

A NUMBER

AL AL

VEHICLE SPECIFICATIONS

VEHICLE SPECIFICATIONS

10

FEATURED	PACKAGES	FOR MAVERICK X3

Maverick X3 DS Turbo	6
Maverick X3 X rs Turbo RR with Smart-Shox	8

COMPARATIVE CHART

Maverick X3 Lineup	
--------------------	--



MAVERICK X3 DS TURBO

HIGHLIGHTS

DEFIANT	Trademark Can-Am DNA with next generation design Low seating position Ergo-Lok cockpit with four-way adjustable seats
POWERFUL	 120 hp turbocharged Rotax* ACE engine Advanced airflow dynamics QRS-X transmission
PRECISE	TTX suspension with industry-leading travel Ultra efficient and lightweight chassis Sharpest handling features
PLATFORM FEATURES	 64 in. wide 102 in. wheelbase 14 in. of ground clearance High-torque Dynamic Power Steering (DPS™) 20 in. suspension travel FOX 2.5 PODIUM QS3 piggyback shocks 14 in. aluminum wheels 30 in. Maxxis Carnivore tires 4.5 in. digital display with keypad Rear tow hook

ENGINE	TURBO	
Туре	120 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-coolec and high-perfomance air filter	
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)	
Transmission	Quick Response System X (QRS-X) CVT with high airflow L/H/N/R/P	
Drive Train	Lockable front differential with exclusive Smart-Lok* technology. True 4-mode traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	
Power Steering	High-torque Tri-Mode Dynamic Power Steering (DPS)	
SUSPENSIONS		
Front Suspension	Double A-arm with sway bar/20 in. (50.8 cm) travel	
Front Shocks	FOX 2.5 PODIUM piggyback with QS3 compression adjustment	
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel	
Rear Shocks	FOX 2.5 PODIUM piggyback with QS3 compression adjustment and bottom-out control	
TIRES & WHEELS		
Front Tires	Maxxis Carnivore 30 x 10 x 14 in.	
Rear Tires	Maxxis Carnivore 30 x 10 x 14 in.	
Wheels	14 in. cast-aluminum	
BRAKES		
Front	Dual 262 mm ventilated disc brakes with hydraulic twin-piston calipers	
Rear	Dual 248 mm ventilated disc brakes with hydraulic twin-piston calipers	

CAPACITIES 1,546 lb (701.3 kg) Estimated Dry Weight Chassis/Cage Dual-phase 980 steel $L \times W \times H$ 132 x 64 x 65.4 in. (335.3 x 162.5 x 166.1 cm) Wheelbase 102 in. (259.1 cm) Ground Clearance 14 in. (35.6 cm) Rack Capacity 200 lb (91 kg) with LinQ[™] quick-attach Total: 2.5 gal (9.4 L) Glove box: 1.6 gal (6.2 L) Storage Capacity Central console: 0.8 gal (2.8 L) Cup holders: 0.1 gal (0.4 L) Fuel Capacity 10.5 gal (40 L) FEATURES Gauge 4.5 in. wide digital display with keypad: speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO™ mode, seat belt and 4 x 4 indicator, front and rear diff. lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode Instrumentation Lighter-type DC outlet in central console RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button Anti-theft System Lighting LED headlights and tail lights Winch N/A 650 W Magneto Integrated front bumper Quarter doors Protection HMWPE full skid plate Rear tow hook WARRANTY & EXTENDED SERVICE Factory Warranty 6-month BRP limited warranty B.E.S.T. term available up to 30 months Extended Service Terms

DIMENSIONS &



FEATURE HIGHLIGHTS



Grip It and Rip It

Now standard: Smart-Lok is the most advanced off-road front differential, period. It's fully lockable on-the-fly, and its four automatic modes return maximum traction in every condition.



Shocking Versatility

The Can-Am Maverick X3 is tuned to win, leading its class thanks to features like bottom-out control with dual speed compression. Its adjustable FOX Racing† piggyback shocks can hit off-road terrain at heart-pounding speeds—and come out on top.



High-Performance Wheels and Tires

The Can-Am Maverick X3 gets its imposing look in part from 30 inch Maxxis Carnivore† tires with 14 inch cast-aluminum wheels. It's a beastly tire setup that's ready to roam far and wide right out of the showroom.



Stands Out & Stands Tall

Who says size doesn't matter? At 14 inches high, the Can-Am Maverick X3 looks down on anything in its way. That amount of ground clearance means it can easily absorb shocks and avoid damage to the chassis and underbody from scraping.



Trip Info at Your Fingertips

For riders, everything worth paying attention to is on the Can-Am Maverick X3's 4.5 inch digital display. At that size, it's readable in all conditions and puts all the vehicle's information and controls at the tip of the driver's gloves.

MAVERICK X3 X rs TURBO RR with smart-shox

HIGHLIGHTS

DEFIANT	 Trademark Can-Am DNA with next-generation design Low seating position Ergo-Lok cockpit with four-way adjustable seats 	SPECIFIC TO	Belt-monitoring system
POWERFUL	Industry-leading 200 hp turbocharged and intercooled Rotax [*] ACE engine Advanced airflow dynamics QRS-X transmission	X rs TURBO RR PACKAGE with Smart-Shox	 200 hp Turbo RR engine Smart-Lok^{™*} front differential Smart-Shox^{**} Technology featuring DDA Valve FOX 3.0 PODIUM shocks with bypass
PRECISE	 TTX suspension with industry-leading travel Ultra efficient and lightweight chassis Sharpest handling features 	 14 in. auminum beadock wheels 32 in. Maxis Carnivore tires 4-point harness with shoulder pads HMWPE full skid plate Full roof X-package graphics/seats 7.6 in. digital display with keypad Can-Am LED signature 850 W magneto Painted color options 	 4-point harness with shoulder pads
PLATFORM FEATURES	 72 in. wide 102 in. wheelbase 16 in. of ground clearance High-torque Dynamic Power Steering (DPS™) Up to 24 in. of suspension travel Rear tow hook 		 Full roof X-package graphics/seats 7.6 in. digital display with keypad Can-Am LED signature 850 W magneto

ENGINE	TURBO RR		
Туре	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc turbocharged triple-cylinder engine, liquid-cooled with integrated intercooler and high-perfomance air filter		
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)		
Transmission	PDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P		
Drive Train	Lockable front differential with exclusive Smart-Lok technology. True 4-mode traction system: 2WD/4WD with front diff. lock/4WD TRAIL ACTIV/4WD TRAIL		
Power Steering	High-torque Tri-Mode Dynamic Power Steering (DPS)		
SUSPENSIONS			
Front Suspension	Double A-arm with sway bar/22 in. (55.9 cm) travel/ Trophy truck-inspired arms		
Front Shocks	FOX 2.5 PODIUM piggyback with bypass and Smart-Shox Technology featuring DDA valve (Dynamic Damping Adjustment)		
Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/24 in. (61 cm) travel		
Rear Shocks	FOX 3.0 PODIUM remote reservoir with bypass and Smart-Shox Technology featuring DDA valve (Dynamic Damping Adjustment)		
TIRES & WHEELS			
Front Tires	Maxxis Carnivore 32 x 10 x 14 in.		
Rear Tires	Maxxis Carnivore 32 x 10 x 14 in.		
Wheels	14 in. cast-aluminum beadlock		
BRAKES			
Front	Dual 262 mm ventilated disc brakes with hydraulic twin-piston calipers		
Rear	Dual 248 mm ventilated disc brakes with hydraulic twin-piston calipers		

Estimated Dry Weight	1,699 lb (770.7 kg)		
Chassis/Cage	Dual-phase 980 steel		
LxWxH	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)		
Wheelbase	102 in. (259.1 cm)		
Ground Clearance	16 in. (40.6 cm)		
Rack Capacity	200 lb (91 kg) with LinQ™ quick-attach		
Storage Capacity	Total: 2.5 gal (9.4 L) Glove box: 1.6 gal (6.2 L) Central console: 0.8 gal (2.8 L) Cup holders: 0.1 gal (0.4 L)		
Fuel Capacity	10.5 gal (40 L)		
FEATURES			
Gauge	7.6 in. wide digital display with keypad: speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO™ mode, seat belt and 4 x 4 indicator, front and rear diff. lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode, Smart-Shox Suspension Mode		
Instrumentation	Lighter-type DC outlet in central console		
Anti-theft System	RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button		
Lighting	LED headlights and tail lights with unique Can-Am LED signature		
Winch	N/A		
Magneto	850 W		
Protection	Integrated front bumper Quarter doors Full roof 4-point harness with shoulder pads HMWPE full skid plate Rear tow book		

WARRANTY &

EXTENDED SERVICE	
Factory Warranty	6-month BRP limited warranty
Extended Service Terms	B.E.S.T. term available up to 30 months



FEATURE HIGHLIGHTS



Leading the Charge

One word to describe the 200 horsepower Rotax Turbo RR engine: relentless. How much horsepower should the world's leading sport side-by-side have? We say more. The newly-boosted output delivers faster acceleration and more get-up-and-go in every driving situation.



Grip It and Rip It

Smart-Lok is the most advanced off-road front differential, period. It's fully lockable on-the-fly, and its four automatic modes return maximum traction in every condition.



Lightning Fast Suspension Response

Before Smart-Shox, customers had to choose between race-winning handling and a comfortable, all-day ride. Not anymore. Smart-Shox self-adjusts up to 200 times per second, boasting nearinstantaneous response to rider inputs and terrain. It's the industry's fastest suspension response. Period.



Shocking Versatility

The Can-Am Maverick X3 X rs is tuned to win. Equipped with Smart-Shox and trophy truckinspired arm suspension, this ride can hit any terrain at top speeds and come out on top.



High-Performance Wheels and Tires

The Can-Am Maverick X3 X rs gets its imposing look in part from 32 inch Maxxis Carnivore tires with 14 inch cast-aluminum beadlock wheels. It's a beastly tire setup that's ready to roam far and wide right out of the showroom.



Harness Every Adventure

With 4-point harnesses awaiting every passenger, a fun and safe ride is only a few clicks away. Standard shoulder pads and Ergo-Lok seats add to rider comfort and safety.



Trip Info at Your Fingertips

Everything needed to control the perfect ride is on the Can-Am Maverick X3 X rs's 7.6 inch dash-mounted digital display with keypad. At that size, it's readable in all conditions and puts all the vehicle's information and controls at the ready.



Riding After Dark

Safe riding at night is here. Can-Am LED headlights and tail lights with high and low beams shine brighter, consume less power, and last longer than standard halogen bulbs. Plus, the rig looks plain cool with its headlights lighting up the night.

10 | MAVERICK X3 COMPARATIVE CHART

M	AVERICK X3	DS TURBO	DS TURBO RR	RS TURBO RR	X ds TURBO RR	
C	DLOR OPTIONS	Octane Blue Can-Am Red Desert Tan & Carbon Black	Octane Blue Can-Am Red Desert Tan & Carbon Black	Octane Blue Can-Am Red Desert Tan & Carbon Black	Triple Black Desert Tan, Carbon Black & Can-Am Red	
	Туре	120 hp, Rotax" ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	
VES	Fuel Delivery System		Intelligent Throttle Control (iTC) v	with Electronic Fuel Injection (EFI)		
ENGINES	Transmission	Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P	PDrive primary and	d Quick Response System X (QRS-X) CVT with high	airflow, L/H/N/R/P	
	Drive Train	Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff.lock/4WD TRAIL ACTIV/4WD TRAIL				
	Driving Assistance	High torque Tri-Mode Dynamic Power Steering (DPS)				
	Front Suspension	Double A-arm with sway bar/ 20 in. (50.8 cm) travel	Double A-arm with sway bar/ 20 in. (50.8 cm) travel	Double A-arm with sway bar/22 in. (55.9 cm) travel/Trophy truck inspired arms	Double A-arm with sway bar/ 20 in. (50.8 cm) travel	
SNOI	Front Shocks	FOX 2.5 PODIUM Piggyback with QS3 [†] compression adjustment	FOX 2.5 PODIUM Piggyback with QS3 compression adjustment	FOX 2.5 PODIUM Piggyback with QS3 compression adjustment	FOX 2.5 PODIUM RC2 ⁺ Piggyback with dual speed compression and rebound adjustments	
SUSPENSIONS	Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel	
S	Rear Shocks	FOX 2.5 PODIUM Piggyback with QS3 compression adjustment and bottom-out control	FOX 2.5 PODIUM Piggyback with QS3 compression adjustment and bottom-out control	FOX 2.5 PODIUM Piggyback with QS3 compression adjustment and bottom-out control	FOX 2.5 PODIUM RC2 Piggyback with dual speed compression, rebound adjustments and bottom-out control	
TIRES/ WHEELS	Front Tires Rear Tires Wheels	Maxxis Carnivore 30 x 10 x 14 in. Maxxis Carnivore 30 x 10 x 14 in. 14 in. cast-aluminum	Maxxis Carnivore 30 x 10 x 14 in. Maxxis Carnivore 30 x 10 x 14 in. 14 in. cast-aluminum	Maxxis Carnivore 30 x 10 x 14 in. Maxxis Carnivore 30 x 10 x 14 in. 14 in. cast-aluminum	Maxxis Carnivore 30 x 10 x 14 in. Maxxis Carnivore 30 x 10 x 14 in. 14 in. cast-aluminum beadlock	
BRAKES	Front		Dual 262 mm disc brakes with	hydraulic twin-piston calipers		
BRA	Rear		Dual 248 mm disc brakes with	hydraulic twin-piston calipers		
	Estimated Dry Weight	1,546 lb (701.3 kg)	1,546 lb (701.3 kg)	1,673 lb (758.9 kg)	1,554 lb (704.9 kg)	
	Chassis/Cage		Dual-phas	e 980 steel		
ITIES	LxWxH	132 x 64 x 65.4 in. (335.3 x 162.5 x 166.1 cm)	132 x 64 x 65.4 in. (335.3 x 162.5 x 166.1 cm)	132 x 72.4 x 68.5 in. (335.3 x 183.9 x 174 cm)	132 x 64 x 65.7 in. (335.3 x 162.5 x 166.9 cm)	
CAPAC	Wheelbase		102 in. (2	259.1 cm)		
DIMENSIONS/CAPACITIES	Ground Clearance	14 in. (35.6 cm)	14 in. (35.6 cm)	16 in. (40.6 cm)	14 in. (35.6 cm)	
MENSI	Rack Capacity		200 lb (91 kg) with	LinQ quick-attach		
ā	Storage Capacity	Total:2.5 gal (9.4 L) Glove box: 1.6 gal (6.2 L) Central console: 0.8 gal (2.3 L) Cup holders: 0.1 gal (0.4 L)				
	Fuel Capacity		10.5 ga	al (40 L)		
	Gauge	4.5 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO mode, seat beit and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	4.5 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO mode, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	4.5 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO mode, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	
	Instrumentation		Lighter type DC Out	let in central console		
	Anti-theft System		RF Digitally Encoded Security Syste	em (D.E.S.S.) with Start/Stop button		
FEATURES	Lighting	LED headlights and tail lights	LED headlights and tail lights	LED headlights and tail lights	LED headlights and tail lights with unique Can-Am LED signature	
FEAT	Winch		N	/Α		
	Magneto	650 W	850 W	850 W	850 W	
	Protection		Quarte HMWPE fu	ront bumper r-doors II skid plate w hook		

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry. **Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry. 6-month BRP Limited warranty. B.E.S.T. term available up to 30 months.

X rs TURBO RR	X rs TURBO RR with Smart-Shox**	X rc TURBO RR 64	X rc TURBO RR 72
 Intense Blue, Carbon Black & Chalk Gray Triple Black Desert Tan, Carbon Black & Can-Am Red	Intense Blue, Carbon Black & Chalk Gray Triple Black Desert Tan, Carbon Black & Can-Am Red	Chalk Gray & Magma Red	Chalk Gray & Magma Red
200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter
	Intelligent Throttle Control (iTC) v	vith Electronic Fuel Injection (EFI)	1
	PDrive primary and Quick Response System	X (QRS-X) CVT with high airflow, L/H/N/R/P	
 Lockable front differential with e True 4 modes traction system: 2WD/4WD with	xclusive Smart-Lok* technology. front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	Lockable front differential with e True 4 modes traction system: 2WD/4WD	exclusive Smart-Lok* technology. with front diff. lock/4WD ROCK/4WD TRAIL
	High torque Tri-Mode Dyna	amic Power Steering (DPS)	
 Double A-arm with sway bar/22 in. (55.9 cm) travel/ Trophy truck inspired arms	Double A-arm with sway bar/22 in. (55.9 cm) travel/ Trophy truck inspired arms	Double arched A-arm with sway bar/ 18 in. (45.7 cm) travel	Trophy truck inspired double arched A-arm with sway bar/22 in. (55.9 cm) travel
 FOX 2.5 PODIUM RC2 Piggyback with bypass, dual speed compression and rebound adjustments	FOX 2.5 PODIUM ¹ Piggyback with bypass and Smart-Shox ⁺⁺ Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX 2.5 PODIUM Piggyback with QS3 compression adjustment	FOX 2.5 PODIUM RC2 Piggyback with bypass, dual speed compression and rebound adjustments
 4-link Torsional Trailing-arm X (TTX) with sway bar/24 in. (61 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/24 in. (61 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/18 in. (45.7 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/24 in. (61 cm) travel
 FOX 3.0 PODIUM RC2 ¹ remote reservoir with bypass, dual speed compression and rebound adjustments	FOX 3.0 PODIUM [†] remote reservoir with bypass and Smart-Shox ⁺⁺ Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX 2.5 PODIUM Piggyback with QS3 compression adjustment and bottom-out control	FOX 3.0 PODIUM RC2 remote reservoir with bypass, dual speed compression and rebound adjustments
Maxxis Carnivore 32 x 10 x 14 in. Maxxis Carnivore 32 x 10 x 14 in. 14 in. cast-aluminum beadlock	Maxxis Carnivore 32 x 10 x 14 in. Maxxis Carnivore 32 x 10 x 14 in. 14 in. cast-aluminum beadlock	Maxxis Liberty [†] 30 x 10 x 14 in. Maxxis Liberty 30 x 10 x 14 in. 14 in. cast-aluminum	Maxxis Liberty 32 x 10 x 15 in. Maxxis Liberty 32 x 10 x 15 in. 15 in. cast-aluminum beadlock
	Dual 262 mm disc brakes with	hydraulic twin-piston calipers	1
	Dual 248 mm disc brakes with	hydraulic twin-piston calipers	
 1,680 lb (762 kg)	1,699 lb (770.7 kg)	1,674 lb (759.3 kg)	1,843 lb (836 kg)
	Dual-phas	e 980 steel	
 132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)	132 x 72.7 x 68.5 in. (335.3 x 184.7 x 174 cm)	133 x 65.6 x 66 in. (337.8 x 166.6 x 167.6 cm)	134.5 x 72.8 x 68.5 in. (341.6 x 184.9 x 174 cm)
	102 in. (2		
 16 in. (40.6 cm)	16 in. (40.6 cm)	14 in. (35.6 cm)	16 in. (40.6 cm)
	200 lb (91 kg) with Total: 2.5	· · · · · · · · · · · · · · · · · · ·	
	Glove box: 1 Central consol Cup holders:	e: 0.8 gal (2.8 L)	
	10.5 ga	al (40 L)	
7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO modes, seat belt and 4 x i indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode, Smart-Shox** Suspension Mode	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode
	Lighter type DC Out	et in central console	·
	RF Digitally Encoded Security Syste	em (D.E.S.S.) with Start/Stop button	
LED headlights and tail lights with unique Can-Am LED signature	LED headlights and tail lights with unique Can-Am LED signature	LED headlights and tail lights with unique Can-Am LED signature	LED headlights and tail lights with unique Can-Am LED signature
 N/A	N/A	4,500-lb (2,041 kg) winch with synthetic rope	4,500-lb (2,041 kg) winch with synthetic rope
	850	0 W	
Integrated front bumper Quarter-doors Full roof 4-point harness with shoulder pads HMWPE full skid plate Rear tow hook	Integrated front bumper Quarter-doors Full roof 4-point harness with shoulder pads HMWPE full skid plate Rear tow hook	Front bumper Quarter-doors, UHMWPE rock sliders HMWPE skidplates Full heavy duty with differential/Under bumper/ Front and rear suspension arm Rear tow hook	Front bumper Half-doors Aluminum roof Intrusion bar 4-point harness with shoulder pads UHMWPE rook silders HMWPE sidplates: Full heavy duty with differential/Under bumper/ Front and rear suspension arm Rear tow hook

12 | MAVERICK X3 COMPARATIVE CHART

м	AVERICK X3	X mr TURBO RR 64	X mr TURBO RR 72	MAX DS TURBO	MAX DS TURBO RR	
СС	COLOR OPTIONS Liquid Titanium & Magma Red Liquid Titanium & Magma Red Can-Am Red Can-Am Red Can-Am Red Can-Am Red Desert Tan & Carbon Black Desert Tan & Carbon Black		Can-Am Red			
	Туре	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, ilquid cooled with integrated intercooler, high-performance air filter and strategically positioned engine air intake	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler, high-performance air filter and strategically positioned engine air intake	120 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	
	Fuel Delivery System		Intelligent Throttle Control (iTC)	vith Electronic Fuel Injection (EFI)		
ENGINES	Transmission		e System X (QRS-X) CVT, high airflow air intake and exhaust, L/H/N/R/P	Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P	PDrive primary and Quick Response System X (QRS-X) CVT with high airflow, L/H/N/R/P	
	Drive Train	Lockable front differential with 6 True 4 modes traction system: 2WD/4WD	exclusive Smart-Lok* technology. with front diff. lock/4WD MUD/4WD TRAIL	Lockable front differential with e True 4 modes traction system: 2WD/4WD with	xclusive Smart-Lok* technology. front diff. lock/4WD TRAIL ACTIV/4WD TRAIL	
	Driving Assistance		High torque Tri-Mode Dyn	amic Power Steering (DPS)		
	Front Suspension	Double arched A-arm with sway bar/ 18 in. (45.7 cm) travel	Double arched A-arm with sway bar/ 22 in. (55.9 cm) travel/Trophy truck inspired arms	Double A-arm with sway bar/ 20 in. (50.8 cm) travel	Double A-arm with sway bar/ 20 in. (50.8 cm) travel	
SNO	Front Shocks			UM Piggyback ssion adjustment		
SUSPENSIONS	Rear Suspension	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/ 18 in. (45.7 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/ 22 in. (55.9 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel	
	Rear Shocks	Rear Shocks FOX 2.5 PODIUM Piggyback with QS3 compression adjustment and bottom-out control				
TIRES/ WHEELS	Front Tires Rear Tires Wheels	ITP Cryptid 30 x 9 x 14 in. ITP Cryptid 30 x 11 x 14 in. 14 in. cast-aluminum with machined finish	ITP Cryptid 30 x 9 x 14 in. ITP Cryptid 30 x 11 x 14 in. 14 in. cast-aluminum beadlock	Maxxis Carnivore 30 x 10 x 14 in. Maxxis Carnivore 30 x 10 x 14 in. 14 in. cast-aluminum	Maxxis Carnivore 30 x 10 x 14 in. Maxxis Carnivore 30 x 10 x 14 in. 14 in. cast-aluminum	
_	Front		Dual 262 mm disc brakes with	hydraulic twin-piston calipers		·
BRAKES	Rear		Dual 248 mm disc brakes with	hydraulic twin-piston calipers		
	Estimated Dry Weight	1,705 lb (773.4 kg)	1,758 lb (797.4 kg)	1,810 lb (821 kg)	1,810 lb (821 kg)	
~	Chassis/Cage		Dual-phas	e 980 steel		
DIMENSIONS/CAPACITIES	LxWxH	133 x 66.7 x 66.1 in. (337.8 x 169.4 x 167.9 cm)	132.3 x 74.2 x 68 in. (336 x 188.5 x 172.7 cm)	164 x 64 x 65.8 in. (416.6 x 162.5 x 167.1 cm)	164 x 64 x 65.8 in. (416.6 x 162.5 x 167.1 cm)	
CAPAG	Wheelbase	102 in. (259.1 cm)	102 in. (259.1 cm)	135 in. (342.9 cm)	135 in. (342.9 cm)	
NS/O	Ground Clearance	14 in. (35.6 cm)	16 in. (40.6 cm)	13 in. (33 cm)	13 in. (33 cm)	
SISUE	Rack Capacity	200 lb (91 kg) with LinQ quick-attach	200 lb (91 kg) with LinQ quick-attach	150 lb (68 kg) with LinQ quick-attach	150 lb (68 kg) with LinQ quick-attach	
DIMI	Storage Capacity	Glove box: * Central consol	gal (9.4 L) 1.6 gal (6.2 L) e: 0.8 gal (2.8 L) 0.1 gal (0.4 L)	Total: 3 g Glove box: 1 Central consol Cup holders:	.6 gal (6.2 L) e: 1.1 gal (4.1 L)	
	Fuel Capacity		10.5 ga	al (40 L)		
	Gauge	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO modes, seat bet and 4 × 1 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO modes, seat belt and 4 × i dinicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	4.5 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO mode, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	4.5 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO mode, seat belt and 4.4 indicator, front and rear difflock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	
	Instrumentation	Lighter type DC Outlet in central console				
RES	Anti-theft System		RF Digitally Encoded Security Syste	em (D.E.S.S.) with Start/Stop button		
FEATURES	Lighting	LED headlights and tail lights with unique Can-Am LED signature	LED headlights and tail lights with unique Can-Am LED signature	LED headlights and tail lights	LED headlights and tail lights	
	Winch	4,500-lb (2,041 kg) winch with synthetic rope	4,500-lb (2,041 kg) winch with synthetic rope	N/A	N/A	
	Magneto	850 W	850 W	650 W	850 W	
	Protection	Front bumper Half-doors Front and rear tow hooks HMWPE full skid plate	Front bumper Half-doors Front and rear tow hooks HMWPE full skid plate Rear tow hook	Integrated front bumper Quarter-doors HMWPE full skid plate Rear tow hook	Integrated front bumper Quarter-doors HMWPE full skid plate Rear tow hook	

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry **Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry 6-month BRP Limited warranty. B.E.S.T. term available up to 30 months

MAVERICK X3 COMPARATIVE CHART | 13

MAX RS TURBO RR	MAX X ds TURBO RR	MAX X rs TURBO RR	MAX X rs TURBO RR Smart-Shox**	MAX X mr TURBO RR
Octane Blue Can-Am Red Desert Tan & Carbon Black	Triple Black Desert Tan, Carbon Black & Can-Am Red	Intense Blue, Carbon Black & Chalk Gray Triple Black Desert Tan, Carbon Black & Can-Am Red	Intense Blue, Carbon Black & Chalk Gray Triple Black Desert Tan, Carbon Black & Can-Am Red	Liquid Titanium & Magma Red
200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter	200 hp, Rotax ACE (Advanced Combustion Efficiency) 900 cc Turbocharged Triple-cylinder engine, ilquid cooled with integrated intercooler, high-performance air filter and strategically positioned engine air intake
	Intelligent	Throttle Control (iTC) with Electronic Fuel Inje	ction (EFI)	
	PDrive primary and Quick Response System	X (QRS-X) CVT with high airflow, L/H/N/R/P		PDrive primary and Quick Response System X (QRS-X) CVT, high airflow with strategically positioned CVT air intake and exhaust, L/H/N/R/P
	Lockable front differential with e True 4 modes traction system: 2WD/4WD with	exclusive Smart-Lok*technology. front diff. lock/4WD TRAIL ACTIV/4WD TRAIL		Lockable front differential with exclusive Smart-Lok* technology. True 4 modes traction system: 2WD/4WD with front diff. lock/4WD MUD/4WD TRAIL
	Hig	h torque Tri-Mode Dynamic Power Steering (D	PS)	
 Double A-arm with sway bar/22 in. (55.9 cm) travel/Trophy truck inspired arms	Double A-arm with sway bar/ 20 in. (50.8 cm) travel	Double A-arm with sway bar/22 in. (55.9 cm) travel/Trophy truck inspired arms	Double A-arm with sway bar/22 in. (55.9 cm) travel/Trophy truck inspired arms	Double arched A-arm with sway bar/22 in. (55.9 cm) travel/Trophy truck inspired arms
 FOX 2.5 PODIUM Piggyback with QS3 compression adjustment	FOX 2.5 PODIUM RC2 Piggyback with dual speed compression and rebound adjustments	FOX 2.5 PODIUM RC2 Piggyback with bypass, dual speed compression and rebound adjustments	FOX 2.5 PODIUM [†] Piggyback with bypass and Smart-Shox ^{**} Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX 2.5 PODIUM Piggyback with QS3 compression adjustment
 4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/20 in. (50.8 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar/22 in. (55.9 cm) travel	4-link Torsional Trailing-arm X (TTX) with sway bar and arched lower links/ 22 in. (55.9 cm) travel
 FOX 2.5 PODIUM Piggyback with QS3 compression adjustment and bottom-out control	FOX 2.5 PODIUM RC2 Piggyback with dual speed compression, rebound adjustments and bottom-out control	FOX 3.0 PODIUM RC2 remote reservoir with bypass, dual speed compression and rebound adjustments	FOX 3.0 PODIUM remote reservoir with bypass and Smart-Shox** Technology featuring DDA Valve (Dynamic Damping Adjustment)	FOX 2.5 PODIUM Piggyback with QS3 compression adjustment and bottom-out control
Maxxis Carnivore 30 x 10 x 14 in. Maxxis Carnivore 30 x 10 x 14 in. 14 in. cast-aluminum	Maxxis Carnivore 30 x 10 x 14 in. Maxxis Carnivore 30 x 10 x 14 in. 14 in. cast-aluminum beadlock	Maxxis Carnivore 32 x 10 x 14 in. Maxxis Carnivore 32 x 10 x 14 in. 14 in. cast-aluminum beadlock	Maxxis Carnivore 32 x 10 x 14 in. Maxxis Carnivore 32 x 10 x 14 in. 14 in. cast-aluminum beadlock	ITP Cryptid 30 x 9 x 14 in. ITP Cryptid 30 x 11 x 14 in. 14 in. cast-aluminum beadlock
	Dual 2	62 mm disc brakes with hydraulic twin-piston c	alipers	
	Dual 24	48 mm disc brakes with hydraulic twin-piston c	alipers	
1,942 lb (880.9 kg)	1,838 lb (833.7 kg)	1,924 lb (872.7 kg)	1,942 lb (880.9 kg)	1,991 lb (903.1 kg)
		Dual-phase 980 steel		
 164 x 72.4 x 68.5 in. (416.6 x 183.9 x 174 cm)	164 x 64 x 66 in. (416.6 x 162.5 x 167.6 cm)	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)	165 x 72.7 x 68.5 in. (419.1 x 184.7 x 174 cm)	165 x 74.2 x 68 in. (419.1 x 188.5 x 172.7 cm)
 16 in. (40.6 cm)	13 in. (33 cm)	135 in. (342.9 cm) 16 in. (40.6 cm)	16 in. (40.6 cm)	16 in. (40.6 cm)
 150 lb (68 kg) with LinQ quick-attach	150 lb (68 kg) with LinQ guick-attach	150 lb (68 kg) with LinQ quick-attach	150 lb (68 kg) with LinQ quick-attach	150 lb (68 kg) with LinQ quick-attach
		Total: 3 gal (11.4 L) Glove box: 1.6 gal (6.2 L) Central console: 1.1 gal (4.1 L) Cup holders: 0.3 gal (1.1 L)		
		10.5 gal (40 L)		
4.5 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPRT/ECO mode, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/CO modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostic, olock, battery voltage, engine temperature, DPS mode	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostic, olock, battery voltage, engine temperature, DPS mode	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECO modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature, DPS mode, Smart-Shox** Suspension Mode	7.6 in. wide digital display with keypad: Speedometer, tachometer, odometer, trips and hour meters, fuel, gear position, SPORT/ECC modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostic, clock, battery voltage, engine temperature, DPS mode
		Lighter type DC Outlet in central console		
	RF Digitally	Encoded Security System (D.E.S.S.) with Start,	Stop button	
 LED headlights and tail lights	LED headlights and tail lights with unique Can-Am LED signature	LED headlights and tail lights with unique Can-Am LED signature	LED headlights and tail lights with unique Can-Am LED signature	LED headlights and tail lights with unique Can-Am LED signature
 N/A	N/A	N/A	N/A	4,500-lb (2,041 kg) winch with synthetic rope
		850 W		
Integrated front bumper Quarter-doors HMWPE full skid plate Rear tow hook	Integrated front bumper Quarter-doors HMWPE full skid plate Rear tow hook	Integrated front bumper Quarter-doors Full roof 4-point harness with shoulder pads HMWPE full skid plate Rear tow hook	Integrated front bumper Quarter-doors Full root 4-point harness with shoulder pads HMWPE full skid plate Rear tow hook	Front bumper Half-doors Front and rear tow hooks HMWPE full skid plate

14	NOTES

NOTES

ACCESSORIES

ACCESSORIES

Roofs
Soft Cab Enclosure
Windshields & Mirrors
Doors
Skid Plates
Bumpers & Guards
Seat Accessories
LinQ: Easy On, Easy Off Cargo
Racks & Storage

8	Lights	35
9	Audio & Communication Systems	39
9	Electrical & Electronic Accessories	40
21	Winches & Hitches	42
3	Performance	44
4	Trailering	48
8	Apache Track Systems	48
9	ProMount Plows	50
4	Tires & Rims	52

LOAD UP AND DON'T LOOK BACK.

FIT AND COMPATIBILITY

For us, innovation is a no-brainer. All our accessories work together, right out of the box. So take your pick. Then pick some more.

STYLE AND VISION

S STA

We've upped the ante when it comes to accessories. Not just designed to look good, but perform right for real riders. All killer, no filler.

QUALITY AND RELIABILITY

Our Can-Am accessories are made right the first time. And to top it off we threw in a 1-year warranty. You're welcome. Install them yourself or at an authorized dealer.



BRP 1-YEAR LIMITED WARRANTY*

For new Can-Am accessories, genuine parts, and co-branded products sold through BRP. Includes items installed by you or an authorized BRP dealer.

*Use other than which the product is designed for will void the product limited warranty. Other exclusions may apply, the warranty is subject to the exclusions, limitations of liabilities and all other terms and conditions of BRP's standard limited warranty. See complete limited warranty or contact your Can-Am Off-Road authorized dealer. Applies only to BRP-made products or co-branded products made by currently accredited BRP partners. Purchased at an authorized BRP dealership/distributor or from a BRP-authorized online store. Unless otherwise stipulated or required by law. This limited warranty does not apply to factory installed accessories. This limited warranty does not apply on Evinrude parts and accessories. This limited warranty is offactive to the softwarranty is effective as of March 1, 2016.

ROOFS

	Maverick X3	715002902	2 006 zł
Sport Roof	Maverick X3 MAX	715003750	3 781 zł
	Impact-resistant injected polypropylene. Excellent protection from the elements. Provides excellent downhill visibility. Windshield compatible.	 Standard on X rs model. Easy, tool-less installation and turn fasteners and Velcro strap Easy installation. 	

ProVent Roof Module Kit		Maverick X3, Maverick X	X3 MAX	715005279	1 058 zł
	 Provides fresh air in the cab area. Optimal performance with full cab 4 vents provide infinite adjustment passenger. Filter and pre-filter to limit dust intr Easy cleaning of filter and pre-filter 	of air flow for driver and usion.	out of ca • Outer plu weather • Sport Ro • Not com	ending water management s bin while maintaining air flov ug closes air intake complete of requires ProVent Module patible with roof mounted LE rs, Lonestar Roof, and Bimini	v. ely for winter or heavy Adapter Kit. ED bars, roof racks or

ProVent Roof Module Adapter Kit for Sport Roof (Not illustrated)	Maverick X3 Maverick X3 MAX	 715006199 715006371	422 zł
 Adapter for fitting ProVent Roof N onto Maverick X3. 	Module Kit	es roof adapter and hardware. es ProVent Roof Module Kit (7	

		715004224 • Black	3 087 zł
Aluminum Roof	Maverick X3	715002900 • Silver	2 700 zł



• Formed aluminum roof 0.09" (2.3 mm) thick.

Durable and lightweight.

Sporty look.

Windshield compatible.

Easy and tool-less installation.

		Maverick X3	715002901	1 596 zł
Bimini [†] Roof with Sun Visor	Maverick X3 MAX	715003749	1 752 zł	
	 Heavy-duty canvas made of UV-resi polyester. Innovative soft top comes with a har storage of rolled-up soft top. 		Easy, tool-less installati turn fasteners and Velc	ion and removal with quick-release/ ro straps.

1 266 zł **Tinted Sun Visor** Maverick X3, Maverick X3 MAX 715007098 • Tinted polycarbonate construction.



- Extra protection for driver and passenger from the sun.

Not compatible with Aluminum Roof and Full Windshields.

				715005508 • Hyper Silver	4 041 zł	
		Maverick X3 produced after January 1, 2017		715005507 · Black	3 781 zł	
				715004436 • Can-Am Red	4 041 zł	
				715005516 • Hyper Silver	8 105 zł	
				715005515 · Black	7 804 zł	
Lonestar Racing0 Aluminum F	loof	Maverick X3 MAX		715004341 • Can-Am Red	8 105 zł	
	• 0.083" (2.1 mm) thick aluminum roc	of.	 Compation 	tible with Lonestar Racing Light Ba	ar Racks.	
	 Durable and lightweight. 	 Not compatible with LinQ Pivoting Rack, Li 		ight Support Bar		
 Enhances the vehicle's racing appearument of the second sec			and Full Windshields.			
		th unique graphics.	 "Lonest 	nestar Racing for Can-Am" branded.		
		ments with	 Include 	s middle intrusion bars for installat	tion	
	 Lower profile than other roofs. 					

SOFT CAB ENCLOSURE

	Maverick X3		715003754	11 042 zł
Soft Cab Enclosure	Maverick X3 MA	<	715003755	15 354 zł
	 Protection for rider and passenger from the element For added cabin comfort, complete your cab enclose with Cab Seal Kit. 	re - Bimini - Full W - Upper - Front	: Roof with Sun Visor indshield — Hardcoated Soft Door Panels Lower Door Panels ear Window	
Cab Seal Kit	Maverick X3		715004433	214 zł

Cab Seal Kit	Maverick X3	715004433	214 21
(Not illustrated)	Maverick X3 MAX	715004434	145 zł
- Preve	ents dirt, dust and wind infiltration in the cab area.		
• Impre	oves cabin comfort for driver and passenger.		

- Recommended with Soft Cab Enclosures.

WINDSHIELDS & MIRRORS

PowerFlip Windshield		Maverick X3, Maverick X3 MAX	715007097	6 978 z
	 The PowerFlip Windshield is equitouch of a button. 	pped with electric cylinders that allo	ow the rider to adjust the v	windshield opening at the
	 Windshield is made of hardcoated 	d polycarbonate with a rubber seal c	ontour and a tinted top se	ection.
	 Allows you to quickly adapt to cha 	anging conditions by adjusting the w	indshield as you go.	
		sibility and ventilation, fully closed for the of opening possibilities depend		
	 Compatible with Can-Am roofs. 			
Vindshield Wiper for Powe	 An ideal way to keep your windshi Wiper from the top allows windshi 	Maverick X3, Maverick X3 MAX ield clear in rain or while riding throu ield pivoting. Includes single-speed	wiper and washer-fluid d	
Vindshield Wiper for Powe	 An ideal way to keep your windshi Wiper from the top allows windshi 	l ield clear in rain or while riding throu ield pivoting. Includes single-speed id dispenser perfectly concealed wi	gh mud and water. wiper and washer-fluid d	
	• An ideal way to keep your windshi • Wiper from the top allows windsh • Wiper mechanism and washer-flu	l ield clear in rain or while riding throu ield pivoting. Includes single-speed id dispenser perfectly concealed wi	gh mud and water. wiper and washer-fluid d	ispenser.
	• An ideal way to keep your windshi • Wiper from the top allows windsh • Wiper mechanism and washer-flu	ield clear in rain or while riding throu ield pivoting. Includes single-speed id dispenser perfectly concealed wi -lip Windshield (sold separately).	Igh mud and water. wiper and washer-fluid d thin the vehicle.	ispenser.
	 An ideal way to keep your windshi Wiper from the top allows windsh Wiper mechanism and washer-flu Must be installed with the PowerF Curved and laminated glass full w 	ield clear in rain or while riding throu ield pivoting. Includes single-speed id dispenser perfectly concealed wi -lip Windshield (sold separately).	igh mud and water. wiper and washer-fluid d thin the vehicle.	
Windshield Wiper for Power	 An ideal way to keep your windshi Wiper from the top allows windsh Wiper mechanism and washer-flu Must be installed with the PowerF Curved and laminated glass full w 	ield clear in rain or while riding throu ield pivoting. Includes single-speed id dispenser perfectly concealed wi Flip Windshield (sold separately). Maverick X3, Maverick X3 MAX indshield. protects rider and passenger from th	igh mud and water. wiper and washer-fluid d thin the vehicle.	
	 An ideal way to keep your windshi Wiper from the top allows windsh Wiper mechanism and washer-flu Must be installed with the Powerf Curved and laminated glass full w Seals firmly against the cage and Provides the best optical clarity and 	ield clear in rain or while riding throu ield pivoting. Includes single-speed id dispenser perfectly concealed wi Flip Windshield (sold separately). Maverick X3, Maverick X3 MAX indshield. protects rider and passenger from th	Igh mud and water. wiper and washer-fluid d thin the vehicle.	5 504 z

20 | ACCESSORIES | WINDSHIELDS & MIRRORS

Provent Windshield		Maverick X3, Maverick X3 MAX	715005277	4 162 zł
	 High-impact-resistant Quantum ha full windshield. Controllable vents to manage air fl Optimal performance with full cab Channels air into the cabin, defogs to eliminate air flow. One upper vent and one lower ven Formed polycarbonate construction Provides excellent optical clarity a resistance. 	Quick ar Quick ar Not com Ultra HE windshield, fully closes Upper v Lower v t with pre-filters. on for enhanced rigidity.	s driver and passenger from th nd easy tool-less installation of npatible with wiper kits and W O Can-Am Edition Sound Bar. ent channels air into the cabir ents defog windshield.	or removal. /et Sounds Stealth 6
Glass Windshield with Wiper & \	Vasher Kit	Maverick X3, Maverick X3 MAX	715003283	8 105 zł
	 Complete kit that includes a curve dispenser. Seals firmly against the cage and p An ideal way to keep your windshie Recommended to use with rear windshield to use windshield to us	rotects rider and passenger from th ald clear in rain, or while riding throu	ne elements.	washer fluid
Full Windshield		Maverick X3, Maverick X3 MAX	715002907	2 162 zł
te and	 Formed polycarbonate construction Formulated to be non-yellowing, non-yellowin	on-crazing, non-cracking with excel n the elements. n or removal.	lent UV resistance and optica	al clarity.
Full Windshield – Hardcoated		Maverick X3, Maverick X3 MAX	715004417	3 237 z
	 High-impact-resistant Quantum ha Formed polycarbonate construction Provides excellent optical clarity a Protects driver and passenger from Quick and easy tool-less installation Recommended to use with rear with Can be used with the Windshield W 	on for enhanced rigidity. nd better abrasion resistance. n the elements. n or removal. nd protection.	iield.	
		Maverick X3, Maverick X3 MAX Fit with Full Windshield Hardcoated (715004417)	715004762	3 237 zł
Windshield Wiper & Washer Kit		Maverick X3, Maverick X3 MAX Fit with Glass Windshield (715003281)	715003282	3 237 zł
	 An ideal way to keep your windshie Includes single-speed wiper and w Wiper mechanism and washer fluid 	asher fluid dispenser.	-	
			715002909 · Clear	1 520 zł
Half Windshield		Maverick X3, Maverick X3 MAX	715004291 • Tinted	1 625 zł
	 High-impact-resistant durable poly Formed polycarbonate construction Formulated to be non-yellowing, no-yellowing, non-yellowing, no-yellowing, non-yellowing, no-yellowing, no	on for enhanced rigidity. on-crazing, non-cracking with excel n the elements. ct air flow.	lent UV resistance and optica	al clarity.

			1	0 444 -		
Rear Mirror & Camera Monitor		Maverick X3, Maverick X3 MAX	715004905	2 411 z		
	 Fully waterproof rear view camera 					
	 Multiple camera feeds can be see 		•			
	 Unit replaces stock rear view mirror (screen is integrated in the unit's replacement rear view mirror). 					
and make	 Camera uses infrared light for night 	it vision capabilities.				
			715004236 • For stock guarter doors	1 341 z		
			715005315 ·			
Side Mirrors		Maverick X3, Maverick X3 MAX	For aluminum doors	1 341 zl		
	 Rugged cast aluminum mount with 	n black nylon cover.	1			
	 Multi-position adjustable ball-joint 	mounted mirrors.				
	 Convex optics for a wide viewing a 	ingle.				
	 Spring-loaded pivots let mirrors for 	ld back completely.				
	 Door mounted. 					
	 Compatible with Upper Soft Door 	Panels.				
	 Sold in pairs. 					
Racing Side Mirrors		Maverick X3, Maverick X3 MAX	715002898	1 087 z		
7	 Race-inspired design features rug 	ged black nylon % construction wit	h coated cast-aluminum moun	t.		
	 Dual adjustment provides optimal 	field of view (FOV).				
	 Multi-position adjustable ball-joint 					
	Flat optics deliver improved distant					
	Spring-loaded pivots let mirrors fo		5			
	 Not compatible with Lonestar Rac Sold in pairs. 	ing Light Racks and Upper Soft Dod	or Paneis.			
Rally Side Mirrors		Maverick X3, Maverick X3 MAX	715005262	1 214 z		
	 Sleek design with unique racing st 		1			
	 High-guality black molded alumini 	•				
	 4" (10 cm) convex surface provides a wider field of view and better visibility around the unit. 					
	 Can be installed at any height on tl 					
\sim	Multi-position adjustable ball-joint	-mounted mirrors.				
	 Spring-loaded pivots let mirrors for 	ld back completely.				
San	 Sold in pairs. 					
	 Not compatible with Glass Windsh 	nield.				



		Maverick X3, Maverick X	(3 MAX	715007971 · Front	2 700 -
Aluminum Half Doors		Maverick X3 MAX		715007972 · Rear	- 3 729 zł
	 Lightweight half doors made of forraluminum. Smooth finish. Engineered for maximum rigidity ar Designed for a perfect fit and seam vehicle's lines. Contoured with a thick seal for bett elements. 	nd durability. Iless integration with the	 Includes Compat Nets and 		Door Handles. r Panels, the Window

Deluxe	Door	Handles	
DCIUAC	2001	riunaico	

Maverick X3, Maverick X3 MAX	715004758 · Front	002 -1
Maverick X3 MAX	715004860 · Rear	902 zł

Convert the standard door straps into easy-to-access door handles.

- Include inside and outside handles for each door.
- Greatly facilitate door opening.
- Standard on accessory Aluminum Half Doors.

Sold in pairs.

		715002903 · Front	1 850 zł
wer Door Panels	Maverick X3, Maverick X3 MAX	715003751 · Rear	1 879 zł



Low

Door Panels		Maverick X3, Maverick X3 MAX	7150037
	 Robust injection-molded polyprop 	ylene construction designed to mate	ch vehicle.
	 Extend stock doors at bottom to pr 	otect and seal cab area.	
	 A great-looking add-on. 		

- Easy and quick installation.

Sold in pairs.

Rear Lower Door Panels sold separately.

DOORS & REAR WIND PROTECTION			
	Maverick X3	715006693 · Front	838 zł
	Maverick X3 MAX	715004694 · Front	827 zł
Window Nets	Maverick X3 MAX	715006700 · Rear	838 zł



Window mesh screen for added protection from wind.

Can be easily lowered in seconds.

Sold in pairs.

• Not compatible with Can-Am Audio Roof.

	Maverick X3	715008091 · 2 doors	4 001 zł
Upper Soft Door Panels	Maverick X3 MAX	715008092 · 4 doors	7 672 zł

• Weather-resistant panels reinforced with aluminum frame offer good protection from the elements.

Extend stock quarter doors at the top.

- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of laminated polished vinyl material for added ventilation.
- To be combined with the Lower Door Panels to obtain complete door kits for your vehicle.
- Not compatible with Racing Side Mirrors and Can-Am Audio Roof.

Rear Wind Screen		Maverick X3, Maverick X3 MAX (except X mr models)	715006701	532 zł
Installs quickly and	 Full rear mesh screen reduces win Installs quickly and easily on roll ca Large white Can-Am logo on black 	age.	omfort.	


Rear Polycarbonate Window		Maverick X3, Maverick X3 MAX (except X mr models)	715006387	1 550 zł
	High-impact-resistant polycarbona	ate window.		

Blocks windshield backdraft or dust and rain from entering for added cabin comfort.

- Quick and easy tool-less installation.
- Ready for MTX Audio System Rear Speakers.

Soft Rear Window		Maverick X3, Maverick X3 MAX (except X mr models)	715006702	532 zł
Resists cold-cracking to -4°F (-2	 Clear, flexible window made from t Resists cold-cracking to -4°F (-20 ° Ideal for preventing backdraft of du 	C).		
	Quick tool-less installation.			

HMWPE SKID PLATES



Our Plastic Plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed 3/8" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).

• Lighter than aluminum.

Superior stress crack resistance.

High-impact strength.

	MAVERICK X3 64" Models	MAVERICK X3 MAX 64" MODELS	MAVERICK X3, MAVERICK X3 MAX 72" MODELS (EXCEPT BASE MODELS)	MAVERICK X3 BASE 72" MODELS	MAVERICK X3 MAX BASE 72" MODELS
HMWPE SKID PLATES ARE STANDARD ON MAVERICK X3 X rc MODELS.					
HMWPE Skid Plate Protection Kit	715003713	71500374	715003718	715006767	715006769
(1) HMWPE Front A-Arm and Trailing Arm Protectors	715002905 1 228 zł	715002905 1 228 zł	715003552 1 322 zł	715003552 1 322 zł	715003552 1 322 zł
2 HMWPE Front Skid Plate	715003933 463 zł	715003933 463 zł	715003933 463 zł	715003933 463 zł	715003933 463 zł
③ HMWPE Central Skid Plate	_	715003731 999 zł	Standard on X rc models only	_	715003731 999 zł
④ HMWPE Underbelly Plate	715004904 2 107 zł	715004904 2 107 zł	Standard on X rc models only	715004904 2 107 zł	715004904 2 107 zł

BUMPERS & GUARDS

BUMPERS

			715002878 · Black	1 573 zł
Front Pre-Runner Bumper		Maverick X3, Maverick X3 MAX	715003433 · Can-Am Red	1 879 zł
	 Made of 1.5" (3.8 cm) diameter ste Inside and outside anti-corrosion of Added heavy-duty protection in ex Integrated winch mounting plate a 	coating with durable powder coat fir treme driving conditions.		
			715002880 · Black	1 573 zł
Rear Pre-Runner Bumper		Maverick X3, Maverick X3 MAX	715003436 • Can-Am Red	1 879 zł
	 Extra-durable 1.5" (3.8 cm) diameter Inside and outside anti-corrosion of Protects vehicle bodywork and ext Rear Receiver Hitch compatible. Required for installation of the Rear 	coating with durable powder coat fir haust system.		
			715002961 · Black	1 341 zł
Dune Front Bumper		Maverick X3, Maverick X3 MAX	715003432 • Can-Am Red	1 573 zł

	715002961 • Black	1.04
Maverick X3, Maverick X3 MAX	715003432 • Can-Am Red	1 57

715002962 • Black

715003437 · Can-Am Red

1 341 zł

1 573 zł

• Made of 1.5" (3.8 cm) diameter aluminum tubing with a 1/8" (3 mm) aluminum plate.

Inside and outside anti-corrosion coating with durable powder coat finish.

· Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.

- Features a more pronounced attack angle and integrated mounting points for lights.

Not winch compatible.

Dune Rear Bumper



- Made of 1.5" (3.8 cm) diameter aluminum tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
 - · Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.

Maverick X3, Maverick X3 MAX

- Protects vehicle bodywork and exhaust system.
- Rear hitch compatible.
- Not compatible with Rear Cage Extension and Lonestar Racing Spare Tire Holder.

		·	
X rc/X mr Front Bumper	Maverick X3, Maverick X3 MAX	715004788 · Black	2 087 zł
		715004742 • Octane Blue	2 394 zł
		715004741 · Sunburst Yell	2 394 zł

• Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate.



- Offers all the essential features required for technical driving: Low front-end protection, support base for winch installation and integrated tow hook.
- Standard on Mayerick X3 X rc and X mr models.
- Not compatible with winches with steel cable.

	Maverick X3, Maverick X3 MAX (not compatible X mr and X rc models,	715005510 · Hyper Silver	2 087 zł
	and models equipped with Smart-Shox)	715005509 · Black	1 879 zł
Lonestar Racing Front Bumper	Maverick X3, Maverick X3 MAX	715004161 • Can-Am Red	2 087 zł

Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish and a 1/8" (3 mm) thick aluminum plate for added vehicle-front protection in extreme driving conditions.

Sleek styling enhances the vehicle's race-inspired look.

Not winch compatible.

Not compatible with 10" (25 cm) Baja Designs OnX6 LED Light Bar.

		715005512 • Hyper Silver	2 238 zł
		715005511 · Black	1 983 zł
Lonestar Racing Rear Bumper	Maverick X3, Maverick X3 MAX	c • Can-Am Red	2 238 zł
• Made of 1.5" (3.8 cm) diameter ste	el tubing with durable powder coat f	finish.	





Sleek styling enhances the vehicle's race-inspired look.

Compatible with Lonestar Racing Spare Tire Holder.

Not hitch compatible.

S3 [†] Front Bumper		Maverick X3, Maverick X3 MAX	715004867 · Black 715005231 · Can-Am Red	2 289 zł
	- Mada of 1 5" (2.8 om) diamator ator	al tubing with a 1/4" (2 mm) aluminum	plate for extra durability	

- Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate for extra durability.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions.
- Integrated winch support plate and mount points for lights.
- · Hook support anchor allows you to keep the winch hook within easy reach when riding in deep mud.
- "S3 for Can-Am" branded.
- Winch not included.

S3 Rear Bumper	Maverick X3, Maverick X3 MAX	715004869 • Black 715005232 • Can-Am Red	3 139 zł
• Made of extra-durable 1.5" (3.8	cm) diameter steel tubing.		
Inside and outside anti-corroside	on coating with durable powder coat fir	nish.	
Added heavy-duty protection in	extreme driving conditions - protects	vehicle bodywork and exhaust s	ystem.

- · Permits installation of a winch at a higher location to improve accessibility in muddy conditions.
- "S3 for Can-Am" branded.
- Engineered to sustain heavy winch loads without damaging the vehicle's frame.
- · Compatible with Can-Am HD and WARN VRX winches rear winch harness 715006007 is required to install a winch on
- the bumper.
- Includes a robust recovery hook to facilitate vehicle recovery.
- Winch not included.
- Not EC compliant.

ROCK SLIDERS

		Maverick X3 (except X rc)	715002963 • Black 715003438 • Can-Am Red	1 341 zł 1 625 zł
			715003730 · Black	1 983 zł
Rock Sliders		Maverick X3 MAX	715003888 • Can-Am Red	2 238 zł
	 Made of heavy-duty 1.5" (3.8 cm) d Inside and outside anti-corrosion of Protect vehicle's sides and underco Support plate adds rigidity and sty Sold in pairs. 	coating with durable powder coat arriage against large obstacles.	finish.	

X rc UHMWPE Rock Sliders		Maverick X3	715004730	3 237 zł
A Command Contractor / 100	• Robust ¼" (6 mm) UHMWPE const	ruction.		
a ille	 Include lower body panels and bra 	ckets for installation.		
	 Protect vehicle's sides and underc 	arriage against large obstacles.		
	 Lodge tight up against vehicle bod 	y for better clearance from obstacle	s.	

- Slide smoothly over obstacles.
- Sold in pairs.

	715005514 • Hyper Silver	1 879 zł
	715005513 · Black	1 625 zł
Maverick X3	715004165 • Can-Am Red	1 879 zł
	715005518 • Hyper Silver	3 781 zł
	715005517 · Black	3 526 zł
Maverick X3 MAX	715004343 • Can-Am Red	3 729 zł

Lonestar Racing Rock Sliders Maverick X3 MAX 71500434 Image: State of the state	715004343 • Can-Am Red	3 729		
	Protects vehicle sides from large c	bstacles.	inish filled with 1⁄3" (3 mm) aluminu	ım plate.

"Lonestar Racing for Can-Am" branded.

Sold in pairs.

• Not compatible with X rc models.

INTRUSION BARS

			715002889 · Black	1 775 zł
Front Intrusion Bar		Maverick X3, Maverick X3 MAX	715003435 · Can-Am Red	2 035 zł
	 Matches vehicle styling. 			



• Inside and outside anti-corrosion coating with durable powder coat finish steel intrusion bar.

• Tube design reduces obstructed lines of sight and blind spots for better visibility.

• Not compatible with windshields and Lonestar Racing Aluminum Roof.

		715006342 • Hyper Silver	2 289 zł
		715003916 · Black	2 035 zł
Lonestar Racing Front Intrusion Bar	Maverick X3, Maverick X3 MAX	715004163 · Can-Am Red	2 289 zł

• Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.



Enhances the racing look of the vehicle.

Compatible with Lonestar Racing Aluminum Roof only.

Not compatible with windshields.

		715006343 • Hyper Silver	1 879 zł
	Maverick X3 (except X mr	715003918 · Black	1 625 zł
Lonestar Racing Rear Intrusion Bar	models), Maverick X3 MAX	715004164 · Can-Am Red	1 879 zł

• Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.

• Sleek styling enhances the vehicle's race-inspired look.



• Required for the installation of the Lonestar Racing Spare Tire Holder. • Not compatible with LinQ mounted accessories and Pre-Filter in the cargo bed.

715002973

OTHER ACCESSORIES

Fender Flares

Maverick X3, Maverick X3 MAX

1 625 zł



- Extended fender flares made from injection-molded polypropylene.
- Keep mud and debris out of vehicle.
- Designed for quick and easy installation.
- Include front and rear extensions and mounting hardware.

		715006344 • Hyper Silve	1 364 zł
	Maverick X3, Maverick X3 MAX	715003922 · Black	1 110 zł
Lonestar Racing Spare Tire Holder	(except X mr models)	715004166 • Can-Am Rec	1 341 zł

- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Adjustable height to fit Can-Am tires up to 30 in.
- Requires Lonestar Racing Rear Bumper and Lonestar Racing Rear Intrusion Bar for installation.
- Cannot hold the Pro Armor Quickshot Wheel Jack and Off-Road Screw Jack.
- Wheel not included.
- Not compatible with the S&B Particle Separator and LinQ accessories intended for the rear of the vehicle.

Lonestar Racing Number Plate Holder	Maverick X3, Maverick X3 MAX	715003943	954 zł

- Includes a pair of sturdy aluminum number plates that mount on either side of the vehicle rear.
 - Not compatible with LinQ Pivoting Rack.
 - Numbered decals are available through SCS Unlimited.
- Styling enhances the vehicle's race-inspired look while adding a personal touch.
 - Black background.

	Maverick X3 (except X mr	715008298 · Black	1 341 zł
Rear Cage Extension	models), Maverick X3 MAX	715008299 · Can-Am Red	1 625 zł

- Durable 1.5" (3.8 cm) diameter steel tubing.
 - Inside and outside anti-corrosion coating with durable powder coat finish.
 - Allows holding a spare tire in place (wheel not included).
 - Custom tie-down strap for fast tire installation or removal.
 - Rear Pre-Runner Bumper required for installation.
 - Not compatible with LinQ Pivoting Rack, cargo boxes (except LinQ 20 gal (73 L)
 - Deluxe Modular Bag) and Lonestar Racing roofs.

S3 Rear Pull Plate		Maverick X3, Maverick X3 MAX	715004870 · Black 715005233 · Can-Am Red	648 zł
	 Offers a solid place to hook onto in Allows you to attach most straps a "S3 for Can-Am" branded. 	•		

SEAT ACCESSORIES

			715008033 · Driver	1 301		zł
4-Point Harness		Maverick X3, Maverick X3 MAX	715008034 · Passenger	1	087	z
	 Exclusive controlled decelerator to Designed to offer maximum riding Easy one-click latch and release. Patent pending. Not EC compliant. 		s additional energy in case of ac	ccident.		
			715005021 · Driver	1	364	z
Retractable 4-Point Harness		Maverick X3, Maverick X3 MAX	715005022 · Passenger	1	289	z
Retractor Protector (Not illustrated)	 Retractor Protector (707900653) is Compatible with rear passenger so Standard on select Maverick X3 m 	eats on MAX models.	eats of MAX models.		439	Z
	 Protective pad required for the ins Protects the passengers from the Sold individually. 	tallation of the Retractable 4-Point H		nodels.		
Seat Belt Shoulder Pads		Maverick X3, Maverick X3 MAX	715002894		214	z
Gantam	 Provide additional riding comfort b Fit with stock 3-point seat belts an Easy Velcro installation. Can-Am branded. Sold in pairs for driver and passent 	d 4 point harness.	on neck and shoulder.			

LinQ: EASY ON, EASY OFF CARGO

MAVERICK'S	MOUNTING LOCATION AND REQUIREMENTS				
LinQ ACCESSORIES • No tools needed: Quickly install and remove accessories by hand • Equip your Can-Am for specialized tasks in no time • Sturdy mounting system that holds up to the roughest terrain	Standard LinQ Rack	LinQ Pivoting Rack 715008295/715008296	Adventure Roof Rack 715003868/715006225		
LinQ ACCESSORIES WITH 16" BASE	 Lower loading capacity that 	inches apart, center-to-center. In the LinQ with 36" base acce TV and SSV vehicles, Can-Am S Ki-Doo snowmobiles.	ssories.		
LinQ 4.2 Gal Cooler 295100698 • Gray 219400964 • Black			LinQ Base Installation Kit 715008125		
LinQ Tool Kit 715006829			No further requirements		
LinQ Tool Box 715008111					
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Anchor Adapter Kit 715004960	LinQ Anchor Adapter Kit 715004960	LinQ Base Installation Kit 715008125		
LinQ 4.5 Gal (17 L) Sport Bag 860202447					
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			No further requirements		
LinQ Dry Bag 715008110			LinQ Base Installation Kit 715008125		
LinQ ACCESSORIES WITH 36" BASE		used by Can-Am ORV vehicles an the LinQ with 16" base acce o ORV vehicles.			
LinQ 12 Gal (45 L) Cargo Box 715003879	No Compatibility				
LinQ 23 Gal (86 L) Trunk Box 715004923	No further requirements				
LinQ 32 Gal (121 L) Trunk Box 715001748	*Not compatible if the LinQ Pivoting Rack is installed.				
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018					
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black 715004698 • Gray	No further requirements	No further requirements	No Compatibility		
LinQ Premium Storage Bag by OGIO [†] 715002923 • Black 715003248 • Camo	No further requirements				
LinQ Heavy Duty Basket 715001215	No further requirements	-			
LinQ Low Profile Basket 715004282	No further requirements				
LinQ HOLDERS					
LinQ Gear Grips 715005340	No further requirements	No further requirements	Side wall installation LinQ Adaptors		
LinQ Tool Holder 715007358			715003058		

		715005494 · (10 L)	595 zł
		715007112 · (20 L)	694 zł
LinQ Modular Box	Maverick X3, Maverick X3 MAX	715006830 · (30 L)	792 zł

• Modular LinQ cargo boxes with 10 L (2.6 gal) capacity.

• Allows stacking of other modular boxes to always have the right gear accessible.

254 zł

Always have the right box size to fit everything.

• Can be installed on any LinQ base with a 16" width.

• See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)		Maverick X3, Maverick X3 MAX	219401110			
		Insulated liner.				



• Fits very well in the LinQ Modular Box (10 L).

Can contain five 473 ml cans or six 355 ml cans.

LinQ Tool Box		Maverick X3, Maverick X3 MAX	715008111	-	zł	
-	 High precision injected HDPE const 	struction provides rigidity and durat	bility.	-		
	5 gal (19 L) maximum capacity.					
	 Weather-resistant, sealed and lock 	able cover.				
	Easy one-second on/off tool-less s	system.				
	 All the benefits of LinQ—simple, fa 	ast and secure.				
	Requires LinQ Base Installation Kit	t (715008125).				
	 See table for installation location a 	ind requirements.				

See table for installation location and requirements.

LinQ Tool Kit		Maverick X3, Maverick X	(3 MAX	715006829		1 364 zł
	 Includes: Cutter pliers. Long-nose pliers. Locking pliers. Ratchet wrench %" drive. 6" ratchet extension. Integrated CVT belt storage location (belt not included). 	 Long-socket 19 mm %" drive - 6pts. Socket 18 mm %" drive. Long-socket 17 mm %" drive - 6pts. Socket 15 mm %" drive. Socket 13 mm %" drive. Socket 13 mm %" drive. Socket 10 mm %" drive. 	- Comb - Comb - Comb - Comb - Comb - Comb	et 8 mm %" drive. bined wrench 19 mm. bined wrench 18 mm. bined wrench 15 mm. bined wrench 13 mm. bined wrench 10 mm. bined wrench 8 mm. et torx T40 %" drive.	- Soci - Brea - See loca	ket torx T30 %" drive. ket torx T20 %" drive. aker bar %" drive. table for installation tion and uirements.

			219400964 • Black	1 538 zł
LinQ 4.2 Gal (16 L) Cooler		Maverick X3, Maverick X3 MAX	295100698 · Gray	1 602 z
	 All the benefits of LinQ—simple, fa Rotomolded construction for exce Premium-quality foam insulation for Uses LinQ mounting system (Pater Easy one-second on/off tool-less se See table for installation location and 	ptional rigidity and durability. or optimal ice retention. nt US 8777531 and US 8875830). system.		
LinQ 4.5 Gal (17 L) Sport Bag		Maverick X3, Maverick X3 MAX	860202447	827 zł
	 17-liter (4.5 US gallon, 1,037 cu. in.) Rigid bottom, semi-rigid top. Requires LinQ Base Installation Kit See table for installation location a 	: (715008125).		
SR 5.5 Gal (21 L) LinQ Bag		Maverick X3, Maverick X3 MAX	860202449	960 zł
	 All the benefits of LinQ—simple, fa Semi-rigid expandable bag. 5.5 gal (21 L) capacity. Itilizae LinQ mounting system (Pa 			

Utilizes LinQ mounting system (Patent US 8777531 and US 8875830).

Easy one-second on/off tool-less system. Requires LinQ Base Installation Kit (715008125).

Adventure Roof Rack required (Maverick X3 MAX).

LinQ Anchor Adaptor Kit required.

LinQ Dry Bag		Maverick X3, Maverick X3 MAX	715008110	995 z
LinQ ACCESSORIES WITH 3	 LinQ mounted using heavy-du High capacity storage solutio Bottom foam liner for addition Integrated handle for easy tra Requires LinQ Base Installation See table for installation location 	n (40 L). nal equipment protection. nsportation on/off the vehicle. on Kit (715008125).	quipment.	
LinQ 12 Gal (45 L) Cargo Box		Maverick X3, Maverick X3 MAX	715003879	1 185 z
	 LinQ mounted for easy-on, ea Holds cargo safely and secure See table for installation location 	sy-off installation. ely while riding.	1.0000.0	
LinQ 23 Gal (86 L) Trunk Box		Maverick X3 (except X mr models), Maverick X3 MAX	715004923	1 550 z
	 LinQ mounted for easy-on, ea Holds cargo safely and secure See table for installation local 	ely while riding.		
Linq 32 Gal (121 L) Trunk Box		Maverick X3 (except X mr models), Maverick X3 MAX	715001748(No rear tail light	1 908 z
	 32 gal (121 L) load capacity wi Made of injection-molded pol The fully sealed lid protects ye No rear tail light. 	m, the rear trunk box plugs in and out in ith unobstructed space to maximize stor yethylene, double walled in critical areas our belongings from dust, moisture and many colors to match your vehicle (sold ion and requirements.	age room and access to the trun s. the elements.	ık's interior.
LinQ 32 Gal (121 L) Trunk Box Pa	anels	Maverick X3, Maverick X3 MAX		287 z
LinQ 32 Gal (121 L) Trunk Box		Q 32 gal (121 L) LinQ Trunk Box to your v 715001397 • Black 715001398 • Yellow	715006121 • Can-Am Red	n
Panels (Not Illustrated)	EUROPEAN VERSION (EC compliant) • Color panels to match the Lin • No rear tail light	715002482 • Light Gray 715002483 • White Q 32 gal (121 L) LinQ Trunk Box to your vertex	715006123 • Orange Crus 715006124 • Viper Red ehicle.	sh
LinQ 8 Gal (30 L) Cooler Box	-	Maverick X3, Maverick X3 MAX	715004778 • Black 715004698 • Gray	1 931 z
	LinQ mounted for easy-on, ea Rotomolded construction pro Premium-quality foam insulat Integrated, fully removable cc Robust rubber latches keep th Weather-resistant. Convenient drain plug.	vides exceptional rigidity and durability. ion for optimal ice retention. Impartment protects food.		

32 | ACCESSORIES | LinQ: EASY ON, EASY OFF CARGO

LinQ 11.5 Gal (43 L) Audio Car	go Box	Maverick X3, Maverick X3 MAX	715003018	3 521 zl
	 The rear installation does not us Mounts on/off easily to hold/car Backlit control panel perfect for Water-resistant speakers. The Bluetooth[†] enabled receiver 	night riding. and 6.5" (16.5 cm) speakers are smar ects your battery by turning the syste	istening at an average speed. rtly concealed and integrated in t	
inQ Heavy-Duty Basket		Maverick X3, Maverick X3 MAX	715001215	1 185 z
	 Made of high-strength, low-alloy LinQ mount for easy-on, easy-of See table for installation location 	finstallation.		
			715002923 · Black	2 076 z
inQ Premium Storage Bag by	OGIO	Maverick X3, Maverick X3 MAX	715002223 · Diack 715003248 · Mossy Oak Break-Up Country Camo	2 457 z
inQ Low Profile Basket	Inside separators for optimal bag See table for installation location Low profile, open basket increas Perfect for easy access to tools, Multiple bungee cord and tie-do	h and requirements. Maverick X3, Maverick X3 MAX ses cargo space. rope, winch and plow accessories.	715004282	902 z
LinQ HOLDERS	 Made of impact-resistant injecte See table for installation location 			
inQ Tool Holder		Maverick X3, Maverick X3 MAX	715007358	224 z
ļļ	 Ultra-versatile tool holder. Convenient swivel-latch allows t Sold in pairs. 	ools to be stored in any orientation.		
-inQ Gear Grips		Maverick X3, Maverick X3 MAX	715005340	497 zł
ŶŶ	 Heavy-duty design for carrying Quick-release button opens gri Heavy-duty base system built f 	ide a custom fit for a variety of items f bows, fishing poles, rakes, farm tool: ip quickly for easy access to gear. for the toughest adventures. snap by combining the LinQ Gear Gr	s and more.	diameter.

LinQ Anchor Adapter Kit		Maverick X3, Maverick X3 MAX	715004960	317 z
	Allows the installation of LinQ acc Tool-less installation and removal LinQ pivoting rack is required for i		S.	
LinQ Base Installation Kit		Maverick X3, Maverick X3 MAX	715008125	130 z
	Allows installation of compatible Included: 2 LinQ Cargo bases and			
Tube LinQ Adapter		Maverick X3, Maverick X3 MAX	715004292	153 z
C	 Cage mounted LinQ receiver. Included in the LinQ Pivoting Racl Allows the installation of single Li Diameter: 1.85" (47 mm). 			
LinQ Lock		Maverick X3, Maverick X3 MAX	860201968	234 z
Lene V	 Retrofits most LinQ accessories. A cover protects the lock from the Not compatible with Tool Holder of Pack of one. Comes with two keys. 			
LinQ Replacement Part		Maverick X3, Maverick X3 MAX	715001707	130 z
	Unique mounting fastener usable Tool-less installation and removal Sold in pairs.			
LinQ Adaptor (Not illustrated)		Maverick X3 MAX	715003058	145 z
	 Allows the installation of the LinQ Sold in pack of 4. 	Tool Holder on the Adventure Roof	Rack.	
Cargo Box Net		Maverick X3, Maverick X3 MAX	715001371	290 z
	Solid net designed to secure and	ensure the compact confinement of	your Adventure Roof Rack.	
Spare Tire Ratchet Tie-Downs		Maverick X3, Maverick X3 MAX	280000955	161 z
	 3-way ratcheting tie-down strap w Designed to securely hold spare t Adjustable to accommodate most Ratchet and junction ring made of Required for spare tire attachment 	ires on accessories equipped with in t common UTV tire sizes. f durable zinc-plated steel.	ntegrated spare tire attachme	nt points.

RACKS & STORAGE

RACKS							
				715008295 · Black	2	833	zł
LinQ Pivoting Rack		Maverick X3 (except X mr models), Maverick X3 MAX	x	715008296 • Can-Am Red	3	105	zł
	 LinQ latched rack allows for extra Includes custom tie-down strap f Gas-cylinder pivot action, locks in Trunk Boxes over 20 gal (74 L) do Not compatible with Rear Intrusion 	for fast spare tire installatior n the raised position. not fit on the vehicle when t	n or remo the rack i	val (tire not included). s installed.			
		Maverick X3		715006225	2	827	zł
Adventure Roof Rack		Maverick X3 MAX		715003868	3	087	zł
	 Ideal cargo solution for packing e Built with lightweight 1.25" (3.2 c Integrated mounting points for light LED bar (front). Features anchor points for spare LinQ anchor on both sides. Spare Tire Tie-Downs sold separe Add the Cargo Box Net to secure Loads up to 75 lb (34 kg). 	m) diameter steel tubing. ghts can hold up to eight por -tire attachment. ately.	d-type LE		-		cm)
STORAGE							
Shoulder Storage Bag		Maverick X3 (except X mr Maverick X3 MAX (rear on	models), nly)	715004277		509	zł
	Bag attaches in unused space be Installs between the rear seats o		e your veh	nicle's cargo capacity.			
Front Shoulder Storage Bag		Maverick X3 MAX		715004888		688	zł
	Opens on each side so that both Installs between the driver and p			is the bag's content.			
Overhead Storage Bag		Maverick X3, Maverick X3	MAX	715004275		509	zł
	Weather-resistant bag, holds you Makes smart use of your overhea Semi-rigid construction renders Touchscreen-compatible clear fr Not compatible with the Bimini R	ad space to increase your ve it flexible enough to fit odd-s ont pocket allows for easy a	ehicle's ca shaped lo	argo capacity by 2.6 gal (10 L). bads.			
Upper Door Storage Bags		Maverick X3, Maverick X3	MAX	715004276		636	zł
	Weather-resistant, they'll hold yo Bags attach on stock quarter doc Each bag is designed as a 1.3 gal Semi-rigid construction renders Sold in pairs.	ors to increase your vehicle's (5 L) capacity pocket also e	s cargo s equipped	pace. with inner netting compartmen	ts.		
Lower Door Panel Storage Bags		Maverick X3, Maverick X3	MAX	715004355		815	zł
	 Weather-resistant, they'll hold yo securely while riding. Bags attach on Lower Door Pane vehicle's cargo space. Each bag is designed as a 1.6 gal also equipped with inner netting 	els to increase your (6 L) capacity pocket	odd-sha • Sold in • Not cor Jack.	gid construction renders them f aped loads. pairs. npatible with aluminum doors a add-on doors required for instal	nd Of	f-Road S	

LIGHTS | ACCESSORIES | 35

Soft Storage Bag		Maverick X3, Maverick X3 MAX	715003759	786 zł
	 11.8 gal (45 L) capacity soft cargo 3 sections. Weatherproof. 	bag designed with vehicle's rear in	mind to maximize potential	storage.
Storage 2.6 Gal (10 L) Bag		Maverick X3, Maverick X3 MAX	269502121	166 zł
	 Roll-top dry bag for fully protect 	ing your cargo from the elements.		

LIGHTS

	2 CHOOSE YOUR LIGHTS									
	BAJA DESIGNS [†] LIGHTS				CAN-AM LIGHTS					
1 CHOOSE YOUR MOUNT POINT	10" (25 cm) LED light bar	40" (102 cm) Baja Designs OnX6 Arc LED Light Bar	XL Sport LED lights (sold in pairs)	XL80 LED lights (sold in pairs)	10" double stacked LED bar	15" double stacked LED bar	39" double stacked LED bar	4" round LED lights (sold in pairs)	3.5" spot or flood LED lights (sold in pairs)	
	Consult p. 36 information on Baja Designs lights.				Consult p. 37 for information on Can-Am lights.					
Front Pre-Runner or Dune Bumpers	710006819 + 715007049 (Power Cable)	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)	715002933 + 715003417 (Power Cable)	715002934 (Not compatible with Pre-Runner Bumper) + 715003417 (Power Cable)		715003665 (71500366)	5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + Power Cable)	
Lonestar Racing Front Bumper	NA	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)				715003665 71500366	5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + Power Cable)	
Light Support Bar or Adventure Roof Rack	710006819 + 715007049 (Power Cable)	710006818 + 715007117 (Power Cable)	710006821 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)	715002933 + 715003417 (Power Cable)	715002934 + 715003417 (Power Cable)	710004007 + 715005822 (Light Mounting Kit)	715003665 (71500366)	5 (4" Round), (3.5" Flood) or 6 (3.5" Spot) + Power Cable)	
Lonestar Racing 40" (102 cm) LED Light Bar Rack	NA	710006818 + 715007117 (Power Cable)	NA	NA	NA	NA	NA	NA	NA	
Lonestar Racing Light Rack	NA	NA	710006821 + 715002884 (Power Cable)	710005041 + 715007049 (Power Cable)	NA	NA	NA	NA	NA	
3 ORDER		*No				INTERSEC		red.		

*All lights are intended for Off-Road use only.

		715003417	264 zł
		715007049	526 zł
Baja Designs Light Power Cable		715002884	340 zł
(Not illustrated)	Maverick X3, Maverick X3 MAX	715007117	497 zł

Required for installation of Baja Designs LED lights onto roof or bumper.

• 10" (25 cm) Baja Designs OnX6 LED Bars and Baja Designs XL80 LED Lights (715007049).

Baja Designs XL Sport LED Lights and Baja Designs Squadron Sport LED Lights (715002884).

• 40" (102 cm) Arc LED Light Bar ONX6 (715007117).

40" (102 cm) Baja Designs OnX6 Arc LED Light Bar	Maverick X3, May	verick X3 MAX	710006818	9 149 zł
	29,000 LUMENS	50 m 0 -50 0 100 2	200 300 400 500 6	00 700 800 900 m
252 W light bar producing 29,000 lumens. Equipped with 24 Cree XM-L2 LEDs. Driving/Combo light pattern for smooth blend of light for both near field applications and distance.	-		ght Support Bar equippe I Light Support Bar.	ed roofs.
Baja Designs 10" (25 cm) OnX6 LED Light Bar	Maverick X3, May	verick X3 MAX	710006819	2 415 z
	12,460 LUMENS	50 m 25 0 -25 -50 0 100	200 300 400	500 600 m
108 W light bar producing 12,460 lumens. Equipped with 6 Cree XM-L2 LEDs. Driving/combo light pattern for smooth blend of light for both near field applications and distance.	• Dual intensity (ł • Requires Baja D			
Baja Designs XL80 LED Lights	Maverick X3, May	verick X3 MAX	710005041	4 550 zł
80 W per spot producing 9,500 lumens. Equipped with 4 Cree XHP50 LEDs per spot.	 9,500 LUMENS Require Baja De Sold in pairs. 	50 m 25 0 -25 -50 0 100 esigns Light Pow		500 600 m
Dual intensity (high/low) settings. Driving/combo light pattern for smooth blend of light for both near field applications and distance.	Dimensions: 4.8	5" x 4.5" (11.4 cm	x 11.4 cm).	
Baja Designs Squadron Sport LED Lights	Maverick X3, May	verick X3 MAX	710006820	1 313 z
	3,150 LUMENS	25 0 -25 0 100	200 300 400	500 600 m
26 W per spot producing 3,150 lumens. Equipped with 4 Cree XP-G2 LEDs per spot. Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.	• Require Baja De • Sold in pairs. • Dimensions: 3"	esigns Light Pow	er Cable.	
Baja Designs XL Sport LED Lights	Maverick X3, May	verick X3 MAX	710006821	2 265 z
	3,150 LUMENS	50 m 25 0 -25 -50		
26 W per spot producing 3,150 lumens. Equipped with 4 Cree XP-G2 LEDs per spot. High Speed Spot features a longer and narrower beam focus for illumination farther down.	 Require Baja De Sold in pairs. Dimensions: 4.5 		er Cable.	500 600 m

10" (25 cm) Double Stacked LED Light Bar (60 W)	Maverick X3, N	laverick X3 MAX	715002933	1 453 zł
(BRARRE)	5,400 LUMENS	20 m 0 -20 0 100	200 300 400 500	600 700 800 m
Equipped with twelve 5 W Cree LEDs. 5,400 lumens. Packs a big punch for its size. Rugged and waterproof. Can be installed in stock XT and XT-P bumpers.				ele and around 65 ft. (20 m
5" (38 cm) Double Stacked LED Light Bar (90 W)	Maverick X3, N	laverick X3 MAX	715002934	1 824 z
[BBBBBBBBBBB]	8,400 LUMENS	20 m 0 -20 0 100	200 300 400 500	600 700 800 m
Equipped with 18 5 W Cree LEDs. 8,400 lumens. Complements the Light Racks and most bumpers. Rugged and waterproof.	 Lights up to mo wide on each s EC compliant. 		80 m) in front of the vehic	ele and around 65 ft. (20 m
39" (99 cm) Double Stacked LED Light Bar (270 W)	Maverick X3, N	laverick X3 MAX	715004007	3 572 zł
REFERENCESSEE	24,300 LUMENS	20 m 0 -20 0 100	200 300 400 500	600 700 800 m
Equipped with 54 5 W Cree LEDs. 24,300 lumens.		ore than 2900 ft . (90	eld, Flip Windshield and C 00 m) in front of the vehicl	Can-Am Intrusion Bar. le and around 115 ft. (35 m
4" (10 cm) Round LED Lights (2 x 25 W)	Maverick X3, N	laverick X3 MAX	715002935	1 824 z
(Cantain)	1,800 LUMENS	20 m 0 -20	100	200 m
25 W LED Spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and switch.	 Can-Am brand Requires light p Sold in pairs. Not EC complia 	ed grill. power cable.	100	20011
3.5" (9 cm) LED Driving Lights (2 x 14 W)	Maverick X3, N	laverick X3 MAX	715003666	1 007 zł
	1,260 LUMENS	15 m 0 -15 0 15 3	0 45 60 75 90	105 m
 14 W LED lights producing 1,260 lumens each. Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. 		next channel point a	. If one attachment point and remount the light.	fails due to a collision,
3.5" (9 cm) LED Flood Lights (2 x 14 W)	Maverick X3, N	laverick X3 MAX	715003665	1 007 zł
	1,260 LUMENS	15 m 0 -15 0 15 30	0 45 60 75 90	105 m
 14 W LED lights producing 1,260 lumens each. Flood lens for a wide light beam spread, ideal for working applications like plowing or cornering. Suitable for dusty or foggy riding conditions. Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing. 		attachment points next channel point a	If one attachment point and remount the light.	

Can-Am LED Signature Lights		Maverick X3, Maverick X3 MAX	715003673	1 110 zł
	 Add style with a more aggressiv Use bright and energy efficient Do not give additional lighting for 	LEDs.		
Dome Light		Maverick X3, Maverick X3 MAX	715002455	405 zł
Contra la	 LED array integrates perfectly w Wiring included. Can be installed on cage, Sport 			
Lonestar Racing 40" (102 cm) L	ED Light Bar Rack	Maverick X3, Maverick X3 MAX	715003920	1 625 zł
	 Enhances the vehicle's race-ins Compatible with Aluminum Roo 	cm) Baja Designs OnX6 Arc LED Ligh pired look. f, Lonestar Racing Aluminum Roof a e Mirrors and PowerFlip Windshield.	nd Sport Roof.	
onestar Racing Light Rack		Maverick X3, Maverick X3 MAX	715003948	1 625 zł
	 Accommodates up to two pairs Not compatible with Racing Side 	gns XL80 LED Light and Baja Desigr of XL Lights. e Mirrors and PowerFlip Windshield. ng Aluminum Roof, Aluminum Roof a		
Chase Lights		Maverick X3, Maverick X3 MAX	715002887	3 254 zł
	 Feature in-dash switches to actipatterns (blue, red and yellow). Trail Mode: Serves as a tail light Race Mode: Displays light patter applications). 	ou visible to vehicles riding behind yo ivate one of the two modes and to ch and as a brake light. rns and serves as a brake light (brake h rear roll cage mounted accessorie	oose among 11 differen e light function can be de	t high-visibility colored ligh
ight Support Bar		Maverick X3, Maverick X3 MAX	715003529	1 110 zł
	•	potlights with or without any roof and stallation of any large LED light bar. vehicle's roof.	d windshield combinatic	in.
Mounting Kit for 39" (99 cm) LE	D Light Bar	Maverick X3, Maverick X3 MAX	715005822	584 zł
	 Required for installation of the 3 Includes wiring and support bra Light Support Bar required for ir 		' Bar.	
Light Power Cable		Maverick X3, Maverick X3 MAX	715003417	264 zł
	 Required for installation of 10" (2 LED Light Bars and 4" (10 cm) Re For bumper and roof mounting I 	25 cm), 15" (38 cm) and Double Stack pund LED Lights.		

AUDIO & COMMUNICATION SYSTEMS

Full roof with sleek built-in audio. Fully sealed and waterproof. Easy to install: one wire connects electronics. Four 8" speakers, one 400 RMS ar and one Head Unit supplied by Ro	s the roof to the vehicle's nd 800 peak watt amplifier,	speake • 2.7" co			285 2 nd each
Easy to install: one wire connects electronics. Four 8" speakers, one 400 RMS ar	nd 800 peak watt amplifier,	• 2.7" co			
electronics. Four 8" speakers, one 400 RMS ar	nd 800 peak watt amplifier,				
Four 8" speakers, one 400 RMS ar			lor display with Bluetoot -compatible.	h and Pandora	a connect
and one Head Unit supplied by Ro	ckford Fosgate Audio.	•	•	ture Roof Rac	k and the
		Upper	Soft Doors.		
	Maverick X3 MAX		715006709	19	129 z
Full roof with sleek built-in audio.			olored RGB LED accent	lighting arour	nd each
Fully sealed and waterproof.	the reafts the vehicle's	•		h and Pandor	a connect
electronics.	s the root to the vehicle's				
				ture Roof Rac	k and the
	Maverick X3, Maverick X3	B MAX	715007131	2	145 z
Combines with Audio Roof 71500) 7130 or 715006709 for Flip	option.			
	Maverick X3 MAX		715004748	3	845 z
riding conditions.	the most demanding			-	
	Maverick X3, Maverick X3	B MAX	715002873	6	891 z
	S/800 W peak audio				
system by MTX. speakers and head unit with an integrated 6.5" (16.5 cr					(16.5 cm)
riding conditions.	the most demanding				
	Maverick X3, Maverick X3	B MAX	715004956	2	752 2
Powerful Rockford Fosgate Unde	erseat 10" Subwoofer	 Requir 	es 1 Amplifer kit (715007	227) for 1 or 2	2 subwoof
speaker box.		• Fits tw	o per vehicle: under driv	er or passeng	er seat.
51 0 1 5	,				
	Maverick X3, Maverick X3	B MAX	715007227	2	752 z
A powerful 400 W amplifier to fee Subwoofers.	ed up to two Underseat				
Easy plug-and-play connections to Audio Roof system and					
subwoofer.	idad				
Installation plate and wring inclu					760 -
A 11 11 1 1					769 z
0					udio Syste
right fit and easy installation.				-	30T GPS.
					h access t
(with protective case).		and ud			
	Fully sealed and waterproof. Easy to install: one wire connects electronics. Six 8" speakers, one 400 RMS an and one Head Unit supplied by R Combines with Audio Roof 71500 Top mounted central speaker cas two 6.5" (16.5 cm)/100W speaker Designed to be Can-Am-tough in riding conditions. Bluetooth 5 ⁺ equipped 400 W RM system by MTX. Designed to be Can-Am-tough in riding conditions. Bluetooth 5 ⁺ equipped 400 W RM system by MTX. Designed to be Can-Am-tough in riding conditions. Powerful Rockford Fosgate Unde speaker box. Easy plug-and-play connections i Sturdy construction tough enoug environments and sealed agains A powerful 400 W amplifier to fee Subwoofers. Easy plug-and-play connections i subwoofer. Installation plate and wiring inclu A great in-ride entertainment sys Robust injected-polypropylene c right fit and easy installation. Adjustable unit safely holds mosi	Fully sealed and waterproof. Easy to install: one wire connects the roof to the vehicle's electronics. Six 8" speakers, one 400 RMS and 800 peak watt amplifier, and one Head Unit supplied by Rockford Fosgate Audio. Maverick X3, Maverick X3 Combines with Audio Roof 715007130 or 715006709 for Flip Combines with Audio Roof 715007130 or 715006709 for Flip Sealer Combines with Audio Roof 715007130 or 715006709 for Flip Maverick X3 MAX Top mounted central speaker case holding two 6.5" (16.5 cm)/100W speakers. Designed to be Can-Am-tough in the most demanding riding conditions. Maverick X3, Maverick X3 Bluetooth 5' equipped 400 W RMS/800 W peak audio system by MTX. Designed to be Can-Am-tough in the most demanding riding conditions. Maverick X3, Maverick X3 Powerful Rockford Fosgate Underseat 10" Subwoofer speaker box. Easy plug-and-play connections to Audio Roof system. Sturdy construction tough enough to withstand harsh environments and sealed against moisture and dirt. A powerful 400 W amplifier to feed up to two Underseat Subwoofers. Easy plug-and-play connections to Audio Roof system and subwoofer. Installation plate and wiring included. Maverick X3, Maverick X3 A great in-ride entertainment system platform. Robust injected-polypropylene construction allows for right fit and easy installation.	Fully sealed and waterproof. speake Easy to install: one wire connects the roof to the vehicle's electronics. Flip Kit Six 8" speakers, one 400 RMS and 800 peak watt amplifier, and one Head Unit supplied by Rockford Fosgate Audio. Flip Kit Six 8" speakers, one 400 RMS and 800 peak watt amplifier, and one Head Unit supplied by Rockford Fosgate Audio. Not co Maverick X3, Maverick X3 MAX Combines with Audio Roof 715007130 or 715006709 for Flip option. Combines with Audio Roof 715007130 or 715006709 for Flip option. Perfec Top mounted central speaker case holding two 6.5" (16.5 cm)/100W speakers. Perfec Designed to be Can-Am-tough in the most demanding riding conditions. Include speake subwo Bluetooth 5' equipped 400 W RMS/800 W peak audio system by MTX. Include speake subwo Designed to be Can-Am-tough in the most demanding riding conditions. Include speake subwo Powerful Rockford Fosgate Underseat 10" Subwoofer Requir Sturdy construction tough enough to withstand harsh environments and sealed against moisture and dirt. Requir Sturdy construction tough enough to withstand harsh environments and sealed against moisture and dirt. Fits tw Sturdy construction tough enough to two Underseat Subwoofers. Reaguir Sturdy construction tough enough to withstand harsh environments and sealed against moisture and dirt.	Fully sealed and waterproof. speaker. Easy to install: one wire connects the roof to the vehicle's electronics. 2.7" color display with Bluetoot - File Kit-compatible. Six 8" speakers, one 400 RMS and 800 peak watt amplifier, and one Head Unit supplied by Rockford Fosgate Audio. Not compatible with the Adven Upper Soft Doors. Maverick X3, Maverick X3 MAX 715007131 Combines with Audio Roof 715007130 or 715006709 for Flip option. Perfect add-on to the Complete 7-speaker system or as a stand the Soft (field on to the Complete 7-speaker system or as a stand the Soft (field on to the Complete 7-speaker system or as a stand the Soft (field on to the Complete 7-speaker system or as a stand the RuX) input isde directly into the system by MTX. Bluetooth 5' equipped 400 W RMS/800 W peak audio system by MTX. Powerful Rockford Fosgate Underseat 10" Subwoofer. Maverick X3, Maverick X3 MAX 715004956 Powerful Rockford Fosgate Underseat 10" Subwoofer. - Requires 1 Amplifer kit (715007 Speaker system or as a seled against moisture and dirt. Maverick X3, Maverick X3 MAX 715004956 Powerful Rockford Fosgate Underseat 10" Subwoofer. - Requires 1 Amplifer kit (715007 Speaker system or sitely to pay speaker box. Study construction tough enough to withstand harsh environments and sealed against moisture and dirt. - Requires 1 Amplifer kit (715007 Speaker system and subwoofer. A powerful Rockford Fosgate Underseat Subwoofer. Maverick X3, Maverick X3 MAX	Fully sealed and waterproof. Easy to install: one wire connects the roof to the vehicle's electronics. Six 8° speakers, one 400 RMS and 800 peak watt amplifier, Six 8° speakers, one 400 RMS and 800 peak watt amplifier, Maverick X3, Maverick X3 MAX 715007131 2 Combines with Audio Roof 715007130 or 715006709 for Flip option. Maverick X3 MAX 715007131 2 Combines with Audio Roof 715007130 or 715006709 for Flip option. Maverick X3 MAX 715004748 3 Top mounted central speaker case holding two 6.5° (16.5 cm)/100W speakers. Designed to be Can-Am-tough in the most demanding riding conditions. Bluetooth 5° equipped 400 W RMS/800 W peak audio system by MTX. Designed to be Can-Am-tough in the most demanding riding conditions. Bluetooth 5° equipped 400 W RMS/800 W peak audio system by MTX. Designed to be Can-Am-tough in the most demanding riding conditions. Bluetooth 5° equipped 400 W RMS/800 W peak audio system by MTX. Designed to be Can-Am-tough in the most demanding riding conditions. Bluetooth 5° equipped 400 W RMS/800 W peak audio system by MTX. Designed to be Can-Am-tough in the most demanding riding conditions. Bluetooth 5° equipped 400 W RMS/800 W peak audio system by MTX. Designed to be Can-Am-tough in the most demanding riding conditions. Bluetooth ferice ready to play your favorite to Maverick X3, Maverick X3 MAX 715004956 2 Powerful Rockford Fosgate Underseat 10° Subwoofer. Easy plug-and-play connections to Audio Roof system. Sturdy construction tough enough to withstand harsh environments and sealed against moisture and dirt. Maverick X3, Maverick X3 MAX 715007227 2 A powerful 400 W amplifier to feed up to two Underseat Subwoofers. Easy plug-and-play connections to Audio Roof system and subwoofer. Installation plate and wiring included. Maverick X3, Maverick X3 MAX 715002874 A great in-ride entertainment system plafform. Robust injected-polypropylene construction allows for right fit and easy installation. Allows the installation of Garmin Montana 66 Alloystable

Rugged Radios Car-to-Car System	m	Maverick X3, Maverick X3 MAX	715003440 · US only	- Z
	 Perfect for communicating with Push-to-talk button conveniently May be connected with the Rugg This kit includes: 		rovided adaptor cable).	
	 5-Watt V3 Radio: UHF/VHF + FI Cable, High capacity, all day lith screen/buttons. 	M Frequency, Programmable Chann nium-ion battery, 1-3 Mile range, NO	AA weather channels, 1-Touc	h FM radio, Backlit
	Quick & Easy Install.	Hear Audio Speakers, Full Flex Mic B on Harness, Driver Coil Cord PTT, W		
Rugged Radios Intercom System		Maverick X3, Maverick X3 MAX	715002891 • US only	3 544 z
	 Specifically designed to facilitate Expandable to 4 people. Includes music port for enjoying 	e clear in-vehicle communication be your favorite tunes.	tween driver and passenger(s	5).
So)	 Seamless integration with in-data May be synched with the Rugge Power Cable is required for instance 	d Radios Car-to-Car System (715003	440). Accessory not available	in Canada.
Rugged Radios Helmet Headset	Kit for Rear Passengers	With Rugged Radios Intercom System	715004380 · US only	1 139 z
	 Additional 12' (3.7 m) cables and your 2-person intercom system 	Helmet Speaker/Mic Kits to upgrad	e	
2 30	 Power Cable is required for instant 	Illation on MAX models.		

ELECTRICAL & ELECTRONIC ACCESSORIES

ELECTRICAL				
Seat Heater		Maverick X3, Maverick X3 MAX	715006112	648 zł
	 This kit includes one carbon fiber Installs directly in the original sea Heated Accessories Wiring Harn 	llow you to control the desired degr r seat heater, foam sheet and in-das	h switch. It seat installation.	
Heated Visor Outlet		Maverick X3, Maverick X3 MAX	715001246	283 zł
	 Strategically positioned on vehic Optional visor outlet that delivers Quick and easy installation. Sold individually. Heated Visor not included. 	, , ,		
Heated Accessories Wiring Harn (Not illustrated)	ess	Maverick X3, Maverick X3 MAX	710005757	584 zł
		k up and operate front heated seats, ess (715006004) is required for real	0	ated grab bar.
Auxiliary Battery Installation Kit (Not illustrated)		Maverick X3, Maverick X3 MAX	715006315	1 364 zł
	 Allows you to add a second 18Ah setup necessary to power auxilia such as sound systems or winch Equipped with an IP67-rated wat that will prevent your auxiliary ele draining your starting battery. 	ry electrical components necess es. Both b erproof electronic module ectrical components from Additio	uludes an additional battery jun sary wiring and the battery ho atteries are perfectly integrate the passenger seat. onal battery (410301203), plus 00282) sold separately.	der. ed, in stock location,

Garmin† Montana† 680T GPS		Maverick X3 Maverick X2 MAV	715002830	4 307 2	7
aarinin' wontana' 6801 GPS	 Rugged and waterproof, the Mon 4" (10.16 cm) dual-orientation, sur 	•		imeter.	4
	 touchscreen and glove-friendly to you vivid colors and high-resolutii 8-megapixel autofocus camera at photos. Tracks both GPS and GLONASS s positioning and typically faster fix Preloaded TOPO maps, plus 1-yea Imagery subscription. 	uchscreen display, to give insta on images. Inclu utomatically geotags Euro atellites for improved es. (715	llation. des a preloaded map for US. pean Version (EC compliant). des preloaded European recro 203456)		
Canadian Map for Garmin Mont Not illustrated)	ana 680T GPS		710005065	925 z	z
	 Additional and readily programm Requires Garmin Montana 680T 		in Montana 680T GPS system.		
USB Power Outlet Kit		Maverick X3, Maverick X3 MAX	219400510	183 z	z
(USB)	 Recharges your electronic devic Dual port USB connectors. 	es while riding [‡] (smartphone, MP3	, heating gear, etc.).		
	‡The power outlet is not capable of rea	charging all device types while riding.			
Lighted Whip Flag		Maverick X3, Maverick X3 MAX	715002886	1 469 2	z
	 A must for riding the dunes. 5 W Cree LED. 5 colored lenses to allow person Glow-through whip, quickly remonsion pole. Increases vehicle's visibility. 	Die c Die c dization. inclu ovable and replaceable ·4' (1.	ts most dune-area requirement ast aluminum base, acetal har des mounting brackets and wi 2 m) flag mounts on top of the pe installed on both sides of a	nd nut. ring. roll cage.	
Battery Charger/Maintainer			715005061	- 2	z
	 Keeps stored lead-acid batteries Charges and maintains small bat Microprocessor controlled multi precision, safety and battery life. Automatically detects 6 or 12 vol Reverse hook-up protection help charger from damage. 	teries. • Pres -stage charging for added • Cont DC a t batteries. with	-voltage detection. s the display button to show th ent: 3 amp battery charger, cla dapter, 24" (61 cm) fused ring weather cap, owner's manual. EC compliant.	imp adapter,	
lump Starter			715005062	- 2	Z
	 IPX3 water-resistant and enclose 4 LED battery indicators for easy re Compact design, will convenientl glove box or any other storage co 2.4A + 1A/5V USB ports for fast c 	ead on battery charge level. y fit in your backpack, mpartment. harging of all USB devices. Shor char Built Cont MC-	t cable provides protection ag t circuit, low voltage, high tem ging. in LED light (3 modes). ent: 300CA jump starter, SA85 JSB to USB charging cable, tra EC compliant.	berature and revers	se
Quick Connect Battery Cable			715005408	40 z	z
	 Quickly and easily connect and c Included in the Battery Charger/ Sold individually. 		r charger.		
Quick Connect Cable with Batte	ery Indicator		715006055	103 z	z
	Quickly and easily connect and c 3-color LED indicator provides c Sold individually.		r charger.		
Digitally Encoded Security Syst	em (D.E.S.S.) Green Key	Maverick X3 (Turbo/TurboR/ Turbo RR motorization)	710005232	219 2	zł
30	 Top-security anti-theft protection Encrypted chip technology restrivehicle's electronic ignition system One vehicle/one code. A vibration/shock-resistant ball-a ensures a reliable connection. 	icts access to your - Wo em. doe - Nor and-socket design that and	grammable modes: 'k mode: Limits vehicle speed ss not limit engine torque. mal mode: Limits vehicle spee 150% torque reduction. formance mode: No restriction	d to 70 kph (44 mph	

WINCHES & HITCHES

Can-Am HD 4500 Winch		Maverick X3, Maverick X	КЗ МАХ	715006416	1	598	zł
Can-ani	 Ergonomic clutch handle. Rugged all-steel gears and bushin durability. Automatic 100% load-holding braken Sealed solenoid for all-weather provide Weather sealed corded remote an EC compliant. 	gs for more torque and ke. otection.	• 43' of ¹⁵ / • Heavy-c • Winch E	strength capability of 4,500 4" (13.1 m of 6.3 mm) wire luty 4-way roller fairlead. lectrical Harness (715003 ble front bumper are requ	steel cable. 585) and wii	-	
Can-Am HD 4500-S Winch		Maverick X3, Maverick X	(3 MAX	715006417	2	170	zł
	 Ergonomic clutch handle. Rugged all-steel gears and bushi durability. Automatic 100% load-holding bra Sealed solenoid for all-weather p Weather-sealed corded remote a 	ake.	 50' of 1 Corros Winch compared 	strength capability of 4,50 4" (15.2 m of 6.35 mm) syn sion-proof aluminum haws Electrical Harness (71500 tible front bumper are req	thetic rope. e fairlead. 3585) and w		
WARN [†] VRX WINCHES							
WARN VRX 45 Winch		Maverick X3, Maverick X	K3 MAX	715006110	2	716	z
	 elements out. Durable all-metal construction. Black powder-coated finish and s for corrosion resistance. Robust new clutch design based WARN 4 WD hub lock know-how Load-holding brake for great con Smooth and reliable all-metal three 	on 70+ years of Itrol.	(electr Pulling 50' of 1 Roller Winch compa	strength capability of 4,50 4" (15 m of 6.3 mm) wire st	00 lb (2,041 l eel cable. 3585) and w	<g).< td=""><td>nty</td></g).<>	nty
VARN VRX 45-S Winch		Maverick X3, Maverick X	K3 MAX	715006111	3	236	z
WARN	 Extreme IP68-rated waterproof s elements out. Durable all-metal construction. Black powder-coated finish and s for corrosion resistance. Robust new clutch design based WARN 4 WD hub lock know-how Load-holding brake for great con Smooth and reliable all-metal three 	stainless steel fasteners on 70+ years of trol.	 Limite (electr Pulling 50' of 1 Cast a Winch compared 	nounted rocker control. difetime warranty (mecha ical). strength capability of 4,5(4" (15 m of 6.3 mm) synthe luminum hawse fairlead. Electrical Harness (71500 tible front bumper are req	00 lb (2,041 l tic rope. 3585) and w	<g).< td=""><td>nty</td></g).<>	nty
WINCH ACCESSORIES						220	_
Can-Am HD Hawse Fairlead	• A must when upgrading your win will prevent the cable from snapp	oing in a corner of a roller f				220	21
	the rough surface of the worn rol • Must be used with synthetic cab	0					

To be used with synthetic winch cables only.

WINCHES & HITCHES | ACCESSORIES | 43

		Can-Am HD Winch	715006430	648 z
Synthetic Winch Cable		WARN Winch	705015070	827 z
9	 Can-Am HD Hawse Fairlead (71 damage and wear. 	nthetic cable for Can-Am HD winche 5006426) is required when upgradir 1797) is required when upgrading to a	ng to a synthetic cable to avoid pre	
		Can-Am HD Winch	705014978	95 z
Wire Rope Replacement		WARN Winch	715006699	405 z
-0	 43' of ¹⁵/₆₄" (14.3 m of 6.3 mm) wi 55' of ¹/₄" (16.8 m of 6.35 mm) wii 4,500 lb (2,041 kg) pulling streng 	re rope for WARN winch kit.		
Synthetic Cable Extension			715001120	827 z
		eter, easy to handle and won't rattle i to provide additional 50' (15.2 m) of d Ipacity.	÷	
Winch Electrical Harness (Not illustrated)		Maverick X3, Maverick X3 MAX	715003585	555 z
	 Required for winch installation. 	,	·	
Rear Winch Harness				
(Not illustrated)			715006007	1 087 z
	 Required for installation of a wind 	ch on the S3 Rear Winch Bumper.		
		WARN Winch [†]	710001002	293 z
Wired Remote Control		Can-Am HD Winch [‡]	715008121	139 z
	OEM stock winch is sold separa EC compliant.	use remote control on a vehicle with a fa		
Wireless Remote Control		WARN Winch	715002542	1 047 z
	mounting hardware.	I nstall, thanks to a wiring harness wit 9 your winch from anywhere within a 5.	h an integrated antenna and all ne	
X rc/X mr Rear Tow Hook		Maverick X3, Maverick X3 MAX	715004450	376 z
	 Offers a solid place to hook onto Allows you to attach most straps Made of rugged %e" (5 mm) stee Standard on Maverick X rc and X 	s and hooks. I plate and 5%" (16 mm) steel hook tub	,	
HITCHES				
Poor Hitch			715002883 · Black	648 z
Rear Hitch	B	Maverick X3, Maverick X3 MAX	715003938 • Can-Am Red	827 z
	 Rugged lightweight steel const E-coated finish. Fixed mounting point for trailer This hitch offers 1,300 lb (590 kg Hitch ball not included. 	ball to provide vehicle with towing c	apabilities.	

Hitch ball not included.

N a

PERFORMANCE


SMART-LOK TECHNOLOGY

Smart-Lok Differential		Maverick X3 produced after January 1, 2017 Maverick X3 MAX	705402371	7 090 zł
	 with electronically controlled autor Choose your differential settings for a fully locked 4 wheel drive, an Using multiple input sources, "Sm moment to procure maximum tra and a feeling of confidence. The Smart-Lok Differential Kit con Mud, Rock and Trail Activ modes to fine-tune your riding environment 	according to your riding need: "2x4 d "4x4 Smart Mode" that offers pre nart Mode" will instantaneously eng ction while retaining low-speed ma mes standard with the Trail Mode. can be added by installing an additi	" for rear wheel traction only, " set, intelligent calibrations for lage locking with the right load neuverability, allowing for opti onal Smart Mode Module (sole	4x4 Front Diff Lock" your type of riding. I at the right mal placement
		Maverick X3 produced after January 1, 2017 Maverick X3 MAX 2018 and prior	715004746	1 856 zł
Smart-Lok Installation Kit (Not illustrated)		Maverick X3, Maverick X3 MAX 2019 & up	715005329	1 856 zł
	 Required to install the Smart-Lok Includes all necessary hardware and the second second	Differential Kit. and wiring for Smart-Lok Differentia	l installation.	
		Maverick X3, Maverick X3 MAX	705401634 · 64"	1 151 -
Performance Half Shaft		Maverick X3, Maverick X3 MAX	705402048 · 72"	1 151 zł
Mud Smart Mode Module (Not illustrated)		Maverick X3, Maverick X3 MAX with Smart-Lok Differential (except Turbo RR models 2021 & up) 715005282	798 zł
Rock Smart Mode Module	or to change to the Mud Smart M • The Mud Mode has been special	n be installed at a time. Maverick X3, Maverick X3 MAX with Smart-Lok Differential	andard Smart-Lok. ion in the deepest mud holes. fully lock the front end.	sold as an accessory
(Not illustrated)		(except Turbo RR models 2021 & up	b) 715005283	1 30 21
	or to change to the Rock Smart M • The Rock Mode has been special • When high engine torque is detec engaged until throttle release to p	e Rock Smart Mode to vehicles with lode on vehicles equipped with a str ly designed to help cross challengin sted at low vehicle speed, Smart-Lol prevent wheel slippage and provide wws for easier steering when maneu n be installed at a time.	andard Smart-Lok. ng rocks. k will progressively lock the fro optimal traction.	
Trail Activ Smart Mode Module (Not illustrated)		Maverick X3, Maverick X3 MAX with Smart-Lok Differential (except Turbo RR models 2021 & up	b) 715005284	798 zł
	accessory or to change to the Tra • The Trail Activ mode has been de • When high engine torque and/or the front end and maintain it enga	Trail Activ Smart Mode to vehicles il Activ Smart Mode on vehicles equisigned for aggressive riding, deliver an increase in vehicle speed is dete aged until throttle release or vehicle was for smoother and lower steering n be installed at a time.	uipped with a standard Smart- ring the ultimate cornering pre cted, Smart-Lok will progressi speed reduction.	Lok. cision.

Lonestar Racing Mud Flaps v	vith Brackets	Maverick X3, Maverick X3 MAX	715004865	1 341 zł
	 These bolt-on mud flaps make Durable chromoly brackets. Protect trailing arms, rotors at Sold in pairs. 	-		
onestar Racing Heavy-Duty	Shift Plate & Knob	Maverick X3, Maverick X3 MAX	715004866	700 z
	 The shift plate is made from d steel and bolts into place for a The kit comes with a billet alu Lonestar Racing shift knob. Offers improved durability for the performance-oriented dri 	a secure fit. minum		
Lonestar Racing Outer Toe Li Gussets Roller Fairlead	ink Boxed	Maverick X3, Maverick X3 MAX	715004868	648 z
	 Protects and strengthens the Includes high-grade steel bol 	middle radius rod links from rough ridi ts.	ng conditions.	

Lonestar Racing Quick Rele	ase Clutch Cover Pins	Maverick X3, Maverick X3 MAX	715005045	515 zł
	 Includes 4 stainless steel "q Replaces all clutch cover sci This product affects the clut 			

Lonestar Racing Heavy-Duty Rear Boxed Radius Rod Support Plate		Maverick X3, Maverick X3 MAX	715005046	1 058 zł
C C C	 Double-layered radius rod suppo Reinforces your rod mounting loc Easy to install. 	rt plate made of high-grade steel. cation on the frame while adding a m	ean racing look to your vehicle	9.



00

000

			715005065 • 64" models	1 006 zł
Arched Lower Suspension Links	1	Maverick X3, Maverick X3 MAX	715005066 • 72" models	1 058 zł
	Arched lower links to free up more Standard on X mr and 2022 X role	0		

Standard on X mr and 2022 X rc models only.

			715005183 · In-Line Triple	7 839 zł
Yoshimura [†] Slip-on Exhaust	 Developed in collaboration with Made from 304-grade stainless Better sounding, better looking a USDF/USDA approved spark arr Fuel injection system tuning not ROHVA and EPA compliant. Not EC compliant. 	steel with brushed aluminum tip. and 19% lighter than stock muffler. rester.	715002882	6 429 zi
Performance Air Filter by Twin	AIR [†]	Maverick X3, Maverick X3 MAX	715002895	497 zł
	 The best choice for the harshes Multiple staged oiled filtering fo Washable and reusable. 	t conditions. am for superior dust retaining capac	ity with high airflow.	
oam Replacement Not illustrated)		Maverick X3, Maverick X3 MAX	715000713	996 zi
	 Replacement foam for Performation 	ance Twin Air Filter.		
Snorkel Pre-filter		Maverick X3, Maverick X3 MAX (with Snorkel kit)	715005599	515 zł
	 Pre-filter specifically for snorkel Adds extra protection to your en Helps keep air filter cleaner. Filter blocks particles larger that Necessary to maintain vehicle w 	ngine in harsh riding conditions. n 0.005" (0.13 mm). varranty when tracks are installed.	I. г	
		Maverick X3, Maverick X3 MAX (2019 and prior)	715003733	3 729 z
norkel Kit		Maverick X3, Maverick X3 MAX (2020 & up)	715007110	3 908 z
	in water. Not compatible with S&B Particl or windows. 	air intakes so vehicle can be semi-su le Separator, LinQ Pivoting Rack, Lor separately) is required for installatic nodels.	nestar Racing Rear Intrusion Ba	r or any rear panels
adiator Relocator		Maverick X3, Maverick X3 MAX	715004937	6 417 z
	 Relocates stock radiator to rear Protects it from debris and rocks Prevents cooling performance la Reduces hot air in the cabin. Easy to clean. Includes support hardware and Not compatible with any bed act Soft Doors (except LinQ 8 gal [3] Radiator (709200703) is required 	s. oss in muddy conditions. hoses. cessories, Rear Cage mounted acce 0 L] Cooler Box).	ssories, Complete MTX Audio s	ystem and Upper
850 W Magneto Kit		Maverick X3, Maverick X3 MAX (2021 & up)	715006279	3 342 zł
	 Increases the magneto output to Includes rotor, stator and regula 			

WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable available accessories for your vehicle.

159 zł

High Output 172 HP Upgrade Kit	Х3	Maverick X3, Maverick X3 MAX (2017 models)	715004700	7 301 z		
	 Performance upgrade kit for May 	verick X3 2017 models only.				
	 Gain 18 HP for a total of 172 HP. 	· · · · · · · · · · · · · · · · · · ·				
	 Includes: Intercooler with fan, fue 	el pump catalyst and high performa	nce belt.			
	 Installation must be done by an a 	uthorized BRP dealership to preserv	ve the vehicle's warranty.			
A Participant	C.A.R.B. Executive Order #D-799	U.				
		Maverick X3, Maverick X3 Max (2018 and 2019)				
172 HP Intercooler Upgrade Kit (Not illustrated)		Maverick X3, Maverick X3 Max (2020)	715007137 715007277	4 111 z		
	 Intercooler upgrade for the Mave 	erick X3 2018 and up.				
	 Installation must be done by an a 	uthorized BRP dealership to preserve	ve the vehicle's warranty.			
	 Requires the power upgrade inst 	allation kit (715007111).				
Power Ungrade Installation Kit						
Power Upgrade Installation Kit		Maverick X3, Maverick X3 MAX	715007111	4 111 z		
	Increases the power of the Maverick X3 from 120 HP to 172 HP.					
	 Includes fuel pump, clutch comp 	onents and turbo adjustment.				
	 Installation must be done by an a 	uthorized BRP dealership to preserve	ve the vehicle's warranty.			
	 Requires Maverick X3 intercoole 	r specific to model year (715007137	or 715007277).			
VARNING: Any modifications or addition of access low to adapt your driving behavior accordingly. Dc ested by BRP and they may increase the risk of inju	not tamper with unauthorized modifications Iry or loss of control, or render the vehicle ille	or install equipment not specifically certified	by BRP for the vehicle. These modific	ations have not been		
Lonestar Racing Fire Extinguish	er Support	Maverick X3, Maverick X3 MAX	715003734	954 z		
	 Quick-release support that allow 	s you to slide the fire extinguisher o	ut in a matter of seconds in an	emergency situatio		
	 Made of billet anodized black alu 	minum.				
Careford Contraction	 Provides you with the safety and 	security of having dependable eme	rgency equipment on board.			
	 Fits 1.85" (4.7 cm) tubing. 					
	 Can be fixed everywhere on the 	cage.				
	- Openson uside booth billed measures	wiek pull pip, mounting plate and 2				

- Comes with both billet mounts, quick-pull pin, mounting plate and 2 clamps.
- Fire extinguisher sold separately.
- "Lonestar Racing for Can-Am" branded.

Fire Extinguisher		295100833	

- Ideal for grease, oil and electrical fires.
- Fits with Lonestar Racing Fire Extinguisher Support Kit.
- Not EC compliant.

			715006102 · US only	665 zł
Emergency Kit	Maverick X3, Maverick X3 MAX	715006103 · Canada only	705 zł	
	 Complete emergency kit provide powersport enthusiasts can find 	s all essential equipment and suppl themselves in.	lies to get out of most unfavorable	situations
	 Includes: Jumper Cables, Air Con Zip-Ties, Cloth Rags. 	npressor, Tire Repair Kit, Ratchet Ti	e-Down, Duct Tape, 3,300 lb (1,50	0 kg) Tow Strap,

TRAILERING

Trailering Cover		Maverick X3	715005813	1 752 zł
Not illustrated)		Maverick X3 MAX	715005814	2 203 z
	 Inner soft liner protects All high-abrasion areas a Weather-resistant trailer Opening for fuel cap and Quick and easy installation 	e of UV-resistant solution-dyed poly windshield and colored panels from are reinforced with a double canvas ring cover protects your vehicle duri d cabin access on passenger side. on. your vehicle with or without Can-Ar	a abrasion. layer. ing storage and transportation.	
Bolt-On [†] Retractable Ratcheting	Tie-Downs		295101072	165 z
Courses	1,500 lb (680 kg) break s Convenient retractable p tightens the strap snugh	trength. oush button automatically slackens, y to secure your vehicle or load into	ing that delivers a 500 lb (226 kg) working l , spools and stores away strap, while the ra place. s vinyl coated to protect whatever surface i	tchet mechanis
Ratchet Tie-Downs			715008309 Black/Gray	92 z
	 400 lb (181 kg) safe work 1" x 10' (2.5 cm x 3 m) str Deluxe ratchet with rubb Coated S hooks. Pack of 2. 	ap with Sea-Doo, Ski-Doo and Can-	Am logos.	
leavy-Duty Ratchet Tie-Down			715008308	203 z
	 1,000 lb (454 kg) safe wc 1.5 in. x 6 in. (38 mm x 1.8 Deluxe ratchet with rubb Black-coated clip hooks. 12" (300 mm) webbing ir Pack of two. 	3 mm) strap with BRP brands. per handle.	· · · · · ·	

APACHE TRACK SYSTEMS

Apache Backcountry LT Track S	system	Maverick X3, Maverick X3	3 MAX	715004734	36 400 z
	 Tracks designed to deliver the be on the market with unmatched flu traction on snow surface. Large contact patch, 37% bigger Impressive added ground clearar keep the vehicle over the snow. Lightweight snowmobile-inspired 	otation level and than the Apache 360 LT. nce of 7" (18 cm) helps	maxim • Apache and En • Fine-tu Sliders • For wir	sive track design with 2" (5 cr um traction on snow. Backcountry LT Mounting K gine and CVT Pre-Filter are re ne your track system using ex with Vespel Inserts and Rail I nter use only. nstallation will affect vehicle v	t, Track DPS Modul quired. tra Idler Wheels, ce Scratcher.
hache Backcountry Mounting	Kit			715004397 · 64" models	4 371 z
Apache Backcountry Mounting Kit		Maverick X3, Maverick X3	3 MAX	715004394 · 72" models	4 953 z

DPS module and Pre-Filter are required and sold separately.

YEAR-ROUND TRACKS			2-Y	EAR WARRANT		
Apache 360 LT Track System		Maverick X3, Maverick X3 MA	X 715005103	27 373 z		
	 Multifunctional tracks designed and to fit on most Can-Am off-ro Extra contact patch adjustment over rough terrain. Contact patch is 7% to 9% bigge Average ground clearance of 16 	 Apache 360 LT Mounting Kit, Track DPS Module at Engine and CVT Pre-Filter Kit are required. EC compliant. 				
Apache 360 LT Mounting Kit			715004392 · 64" models	3 933 z		
(Not illustrated)		Maverick X3, Maverick X3 MA	X 715004393 • 72" models	5 094 z		
	 Required for installation of the A Track DPS Module and Pre-Filte 					
ACCESSORIES						
Rail Ice Scratchers		Apache Backcountry LT Track System	860201728	- Z		
	 Provide additional lubrication in Rail mounted, small, light. Design expands on coil concept Easily stored when not in use. Extends slider life. 	-	ge.			
Apache Backcountry LT Wheel	Kit	Apache Backcountry LT Track System	715006293	526 z		
Sliders with Vespel [†] Inserts	 Extends slider life in hard snow of the includes two wheels, cross shafe Up to two kits per rear track can 	it and mounting hardware per kit	to service one track corner.	428 z		
	 Use DuPont Vespel inserts for le Longer life. Can be cut to desired length. 8 needed per vehicle. Sold individually. 					
		Maverick X3, Maverick X3 MA (Turbo RR engine only)	X 715006266	526 z		
Track DPS Module (Not illustrated)		Maverick X3, Maverick X3 MA (except Turbo RR engine)	× 715007338	463 z		
	 Innovative DPS module that ens control and riding ease. Required to install the Apache 1 		optimized steering assist, mak	ing for perfect track		
Engine & CVT Air Intake Pre-Fil	ter	Maverick X3, Maverick X3 MA (except X mr models)	715005600	515 z		
 Adds extra protection to your conditions. Helps keep air filter cleaner. Filter blocks particles larger to Easy installation. 		• Ne ins n 0.007" (0.19 mm).	 Not compatible with S&B Particle Separator. Necessary to maintain vehicle warranty when tracks installed. Required to install the Apache Backcountry LT and Apache 360 LT Track Sytems. 			
Snorkel Pre-Filter		Maverick X3, Maverick X3 MA (with Snorkel kit)	X 715005599	515 z		
	 Pre-filter specifically for snorkel Adds extra protection to your en 		cessary to maintain vehicle wa installed.	irranty when tracks		
		Requ	quired to install the Apache Backcountry LT A Apache 360 LT Track Sytems.			

ProMount PLOWS

Can-Am ProMount Steel 72"	(183 cm) Plow Kit	Maverick X3, Maverick >	K3 MAX	715008176 · Black 715008177 · Yellow		-	z
	These kits include: Can-Am ProMount Steel Blade Push Frame with Quick-Attach Can-Am ProMount Mounting	n System.					
		Fits ProMount Push Fra	me	■ 715004474 • Black ■ 715006021 • Yellow	1 9	951	Z
	(183 cm) Blade • Plow blade made from 12-gaug		Clears	715006021 · Yellow 66" (168 cm) when plow is fu		951	Z
	(183 cm) Blade • Plow blade made from 12-gaug • Replaceable wear blade. • Large pin designed for easy bla	e steel.	Clears Blade I Compa	715006021 • Yellow 66" (168 cm) when plow is function height of 17" (43 cm). Atible with Can-Am ProMount	lly angled.		
	(183 cm) Blade • Plow blade made from 12-gaug • Replaceable wear blade.	e steel. Ide rotation to eliminate	Clears Glade I Compa further	715006021 • Yellow 66" (168 cm) when plow is function neight of 17" (43 cm).	lly angled. t Blade acc	essori	
	(183 cm) Blade • Plow blade made from 12-gaug • Replaceable wear blade. • Large pin designed for easy bla snow buildup at pivot point.	e steel. Ide rotation to eliminate	Clears Glade I Compa further	715006021 • Yellow 66" (168 cm) when plow is function height of 17" (43 cm). atible with Can-Am ProMount enhance plow versatility.	lly angled. t Blade acc	essori	
CAN-AM ProMount STEE	(183 cm) Blade • Plow blade made from 12-gaug • Replaceable wear blade. • Large pin designed for easy bla snow buildup at pivot point. • Blade design provides best sno	e steel. Ide rotation to eliminate	Clears Glade I Compa further	715006021 • Yellow 66" (168 cm) when plow is function height of 17" (43 cm). atible with Can-Am ProMount enhance plow versatility.	lly angled. t Blade acc	essori	



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm).
- One-way "winged" state plow designed to throw snow higher. Rubber flap designed to keep snow away from the driver.
- Can-Am branded.

CAN-AM ProMount FLEX2 PLOW KIT

Can-Am ProMount Flex2 72" (183 cm) Blade	Maverick X3, Maverick X3 MAX	715008175	-	zł
These kits include:				

- Can-Am ProMount Flex2 Blade.
- Push Frame with Quick-Attach System.
- Can-Am ProMount Mounting Plate.

CAN-AM ProMount FLEX2 BLADES					
Can-Am ProMount Flex2 72" (1	83 cm) Blade	Fits ProMount Push Fra	me	715004485	2 394 zł
	 Plow blade made of UHMWPE, file absorbing material prevents dam accidental impact occurs. Replaceable wear blade. Large pin designed for easy blade snow buildup at pivot point. 	naging your plow when	• Clears • Blade I • Compa	design provides best snow roll 66" (168 cm) when plow is full height of 17" (43 cm). atible with Can-Am ProMount r enhance plow versatility.	y angled.

645 zł

Can-Am ProMount Edge Markers	Maverick X3, Maverick X3 MAX	715004206	190 zł
 Help locate the edges of your plo Height: 24" (60 cm). Sold in pairs. 	w.		
 Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades). 			
PELLES.			

Can-Am ProMount 66" (168 cm) Plastic Wear Blade	Maverick X3, Maverick X3 MAX	715004482	385 zł
Can-Am ProMount 72" (183 cm) Plastic Wear Blade	Maverick X3, Maverick X3 MAX	715004483	645 zł

Ideal to prevent leaving marks on your driveway.
Compatible with Can-Am ProMount 72" (183 cm) Blades.



Can-Am ProMount Drift Cutters

Help keep snow in the plow.
Dimensions: 17" x 13" (43.2 cm x 33 cm).
Sold in pairs.
Compatible with Can-Am ProMount Steel and Flex2 blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Blade Extensions	Maverick X3, Maverick X3 MAX	 715004205 • Black 715005319 • Yellow 	474 zł
 These conveniently extend your 	Can-Am ProMount Blade.		

• Add 3" (8 cm) each side.

• Compatible with Can-Am ProMount Blades (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Maverick X3, Maverick X3 MAX

715006258

- Longer Wear Blade can be installed to go over the extra length given by the extensions.

Back Drag Blade (Not illustrated)	P	ProMount Plows (60'' an	id more)	715007794	1 11	9 z
	 ¼ thick steel swivel scraper. 		 Lifts th 	e scraper off the ground so that i	t scrapes	evenly.
	 Lifts up when the vehicle is moving affect the scraping. 	forward so as not to		able in length for compatibility)", 66" and 72" blades.		
	Increased capacity to pull snow.		 Compa 	atible with ProMount blades (Flex	and Stee).
	 More aggressive scraping in reverse 	 More aggressive scraping in reverse mode. 		 Not compatible with Backcountry Track Kit. 		
Curved Wear Blade (Not illustrated)	N	Naverick X3, Maverick X	K3 MAX	715007793 · 72'' (183 cm)	46	9 z
	Wear blade designed with a folded back bottom lip.					
	 The increased surface allows for les 	ss digging while plowin	g uneven s	surfaces.		
	 Ideal for snow covered gravel, grass 	, paver stone and othe	r soft surfa	ices.		

Can-Am ProMount Push Frame with Quick-Attach System		Maverick X3, Maverick X3	3 MAX	715008116	2 238 zł
0	 Heavy-duty steel tubes designed to 	withstand the roughest use.	• Plow L	imit Switch recommende	ed to extend winch cable
A A A A A A A A A A A A A A A A A A A	 Mid-mount carriage provides ultima traction. 	ate push strength and	lifespa • Can-A		ate required for installatio
	 Designed for maximum plow lift height. 		 Blade swivels left or right, 5 positions. 		
		 Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle 		pin designed for easy bla ow buildup at pivot point	de rotation to eliminate di
	adjustment.		 Plow Roller Fairlead included. 		
Can-Am ProMount Push F	rame Extension	Maverick X3, Maverick X3	3 MAX	715006257	708 zł



12" (30 cm) push frame extension required when plow is installed with Apache Track systems.

Can-Am ProMount Mounting Plate	Maverick X3, Maverick X3 MAX	715008197	942 zł
Bequired to install the Can-Am Pi	roMount Push Frame with Quick-Att	ach System	

- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision designed to stay on year round without compromising ground clearance.
- Comes with the Plow Roller Fairlead.
- Not compatible with S3 High Clearance Front A-Arm.

Plow	Roller	Fairlead

Roller Fairlead		Maverick X3, Maverick X3 MAX	705203753 • Conical Roller Fairlead	328 zł
Frank water to be stated	Larger diameter lower roller redu	ices wear on wire rope for plow app	lication.	




Can be used with all ProMount plows.

Can-Am ProMount Plow Anglin	ig System	Maverick X3, Maverick X3 MAX	715006022	6 051 z
	 Allows you to have full up/down a 			
ProMount Plow Limit Switch		Maverick X3, Maverick X3 MAX	715006259	547 z
(Not illustrated)	For controlling the cable tension	Maverick X3, Maverick X3 MAX when over-raising your plow system		0

- Prevents winch, plow push frame and vehicle damage.
- Sensor relocated for optimal lift height.

TIRES & RIMS

TIRES			
		705402080 • Front	757 z
		705502603 · Rear	782 z
		705402168 · Front	692 zł 737 zł
Maxxis† Bighorn 2.0 Tire		705502665 • Rear	
Chillion and Chill	Front · 28" x 9" x 14".		
	■ Rear · 28" x 11" x 14".		
	Compliant with European class T regulations.		



			705402143 • Front	907 zł	
Maxxis Liberty Tire		Maverick X3 X rc	705402464 · Rear	952 zł	
	 Engineered for performance dri 8-ply radial construction. Front: 30" x 10" x 14". Rear: 32" x 10" x 15". 	ving and to give you and your	side-by-side freedom in a variety of te	rrains.	
Maxxis Bighorn X ds Tire			705402081 • Front	802 zł	
(Not illustrated)			705502604 · Rear	827 zł	
	• Front · 29" x 9" x 14".				
	■ Rear · 29" x 11" x 14".				
Maxxis Bighorn X rs Tire (Not illustrated)			705402082	867 zł	

Front & Rear · 30" x 10" x 14".

RIMS				
14" Maverick X3 X mr Rim		Maverick X3, Maverick X3 MAX	705402256	995 zł
	Black with clear coat aluminum i	im.		<u>.</u>
14" Maverick X3 Beadlock Rim		Maverick X3, Maverick X3 MAX	705402207 • Black and ma 705402173 • Black	995 zł
	 Black aluminum rim with machin Choice of beadlock color (not ind Needs 16 bolts (250000893) for 	cluded).		
			705401965 • Front	
14" Maverick X3 Rim		Maverick X3, Maverick X3 MAX	705502493 · Rear	572 zł
	 Black with clear coat aluminum r Front: 14" x 7" Offset = 55 mm. Rear: 14" x 8" Offset = 76 mm. 	im.		
			705402393 • Front	1 000 zł
14" Maverick X3 Beadlock Rim		Maverick X3, Maverick X3 MAX	705502814 · Rear	1 058 zł
	- Plack with algor goot aluminum		•	

14" Maverick X3 Beadlock Rim		Maverick X3, Maverick X3 MAX	705502814 · Rear	1 058 zł
	 Black with clear coat aluminum r Choice of beadlock color. Needs 16 bolts (25000893) for i Front: 14" x 7" Offset = 55 mm (For Rear: 14" x 8" Offset = 76 mm. 	nstalling the beadlock.		
			705401709 • Black 705401913 • Gold	428 zł
14" Maverick X3 Beadlock Ring		Maverick X3 & Maverick X3 MAX (X rs, X ds models only)	705402358 · Can-Am Red 705402472 · Manta Green	

Cast aluminum beadlock.
 Must be installed on Front

 Must be installed on Front Rim (705402393) and Rear Rim (705502814).



NOTES	

EXPLORE AN ENTIRE WORLD OF ADVENTURE WITH ALL OF OUR BRP PRODUCTS. BRP.COM





ski-doo Lynx Settedo Can-am Rotax. Alum_{MCnaft}, Manitou QUINTREX

